



Mister Worker[®]
YOUR PROFESSIONAL TOOLS SUPPLIER

CATALOG

SEPTEMBER 2020



SPECIAL OFFERS



24 L MANUAL OIL DISPENSER

24 l manual oil dispenser Tank capacity 24 l (with level indicator) Double-acting manual pump Delivery hose 2,0 m length Manual oil dispensers with double-acting manual pump, suitable for high viscosity oils (SAE 15-220). They are advised for the fil ...

CODE	027-1326-000
PRICE	€ 154,42



24 L PNEUMATIC OIL DISPENSER DROP VALVE Ø12 MM

24 l pneumatic oil dispenser Equipped with: Tank capacity 24 l (with level indicator) Delivery hose: spring PU 3 m length Oil dispensing nozzle with flexible Drop valve Ø12 mm Filling drum funnel Advised for the filling and maintenance of oil. The ta ...

CODE	027-1305-000
PRICE	€ 166,20



AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. A110 IN ALUMINIUM GASKET IN NBR

Meclube Model A110 in aluminium Compression ratio: 1:1 Max flow-rate: 110 l/min Fluid connections: 3/4" BSP Fluids compatible: oil - exhausted oil - diesel fuel Gasket: nbr Air operated double diaphragm pumps have long been recognized as the most fle ...

CODE	028-A110-AB1
PRICE	€ 429,50



AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. FOOD SS550 IN STAINLESS STEEL SS AISI 316 BALLS IN SS AISI 316

Meclube Model Food SS550 in stainless steel ss aisi 316 electro-polished Compression ratio: 1:1 Max flow-rate: 550 l/min Fluid connections: Tri-Clamp 2" Fluids compatible: food and drink products Gasket: ptfе Air operated double diaphragm pumps have ...

CODE	028-F550-EF1
PRICE	€ 5.418,32



MANUAL GREASE PUMP 16 KG

Manual grease pump 16 kg Outlet grease pressure 400 bar 60 g delivery by 10 cycles of the lever Mobile container 16 kg

CODE	016-1141-000
PRICE	€ 107,37



POLYETHYLENE GRADUATED DECANter 5 L

Polyethylene graduated decanter 5 l With lid, flexible pipe and plug

CODE	027-1356-000
PRICE	€ 8,21



SET 10 STANDARD PROBES

Supplied with the oil aspirators The same probes are available as a single item

CODE	044-1479-000
PRICE	€ 54,83



AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. P55 IN POLYPROPYLENE GASKET IN VITON

Meclube Model P55 in polypropylene Compression ratio: 1:1 Max flow-rate: 55 l/min Fluid connections: 1/2" BSP Fluids compatible: water - anti-freeze - windscreen - AdBlue Gasket: viton Air operated double diaphragm pumps have long been recognized as ...

CODE	028-P055-AB2
PRICE	€ 370,67



AIR OPERATED EXHAUSTED OIL ASPIRATOR 24 L

Air-operated exhausted oil aspirator 24 l Tank capacity 24 l with level indicator Pneumatic air emptying of tank (max pressure 0,5 bar) The air-operated oil aspirators are ideal for a rapid changing of motor oil to each vehicles. After depressurizati ...

CODE	040-1420-000
PRICE	€ 209,61



AIR OPERATED EXHAUSTED OIL SUCTION DRAINER WITH PANTOGRAPH 120 L FOR TRUCKS

Air-operated exhausted oil suction-drainer with pantograph 120 l for TRUCKS Tank capacity 120 l with level indicator Basin abs 3 sections tool holder Recovery basin capacity 50 l on arms pantograph with breakwater grate for drip the substituted oil f ...

CODE	041-1456-000
PRICE	€ 753,05



SUCTION CONNECTIONS CDS

Suction connections CDS

CODE	099-6000-000
PRICE	€ 48,77



WHEELED MANUAL GREASE PUMP 16 KG

Wheeled manual grease pump 16 kg Outlet grease pressure 400 bar 60 g delivery by 10 cycles of the lever Wheeled container 16 kg

CODE	016-1142-000
PRICE	€ 120,65

"PROFI" COUPLING WITH CASE HARDENED JAWS

"PROFI" coupling with case-hardened jaws M 10x1 mm thread



CODE	014-1088-000
PRICE	€ 3,00



AIR OPERATED SUCTION DRAINER FOR EXHAUSTED OIL 65 L WITH PRE CHAMBER

Air-operated suction-drainer for exhausted oil 65 l with pre-chamber Tank capacity 65 l with level indicator Basin abs 3 sections tool holder Pre-chamber capacity 10 l Recovery basin capacity 15 l with breakwater grate for drip the substituted oil fi ...

CODE	040-1442-000
PRICE	€ 556,20





AIR OPERATED SUCTION DRAINER FOR EXHAUSTED OIL 90 L WITH PRE CHAMBER

Air-operated suction-drainer for exhausted oil 90 l with pre-chamber Tank capacity 90 l with level indicator Basin abs 3 sections tool holder Pre-chamber capacity 10 l Recovery basin capacity 20 l with ergonomic and swivel 360° abs funnel with break ...

CODE	040-1445-000
PRICE	€ 578,78



CLOSED HOSE REEL SWIVELLING IN PLASTIC FOR AIR WATER 10 BAR MOD. CS 275 9+1 M Ø 8X12

Equipped with: - Polyurethane blue hose 9+1 m - ø 8x12 Inlet-outlet F1/4"G - M1/4"G - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL DIMENSIONS ...

CODE	075-3401-209
PRICE	€ 114,01



COMPLETE INSTALLATION 2 POSITIONS FOR BARRELS 180 220 L

Fix and complete positions that offer an independent working station. They allow an optimal placing in every working environment (factories and repair shops) allowing to operate in a clean and safe way and without wasting of lubricant oils for diffe ...

CODE	023-1945-000
PRICE	€ 2.022,19



DIESEL TRANSFER SYSTEM "CAMI DISPENSER" 60 LT/MIN 230V

Diesel transfer system "Cami Dispenser" 60 lt/min 230V Diesel transfer system for private usage, it allows the quick and safe filling of vehicles, and permits to measure and record the dispensed quantities. It is equipped with nozzle holder, mic ...

CODE	090-5070-060
PRICE	€ 512,29





DIESEL TRANSFER SYSTEM "CAMI DISPENSER" 60 LT/MIN 230V

Diesel transfer system "Cami Dispenser" 60 lt/min 230V Diesel transfer system for private usage, it allows the quick and safe filling of vehicles, and permits to measure and record the dispensed quantities. It is equipped with nozzle holder, mi ...

CODE	090-5072-060
PRICE	€ 669,39



EXHAUSTED OIL DRAIN UNIT 90 L RECOVERY BASIN CAPACITY 15 L

Exhausted oil drain unit 90 l Tank capacity 90 l with level indicator Basin abs 3 sections tool holder Recovery basin capacity 15 l without abs ergonomic funnel with breakwater grate for drip the substituted oil filters Pneumatic air emptying (max pr ...

CODE	045-1460-E00
PRICE	€ 244,88



EXHAUSTED OIL DRAIN UNIT FOR PITS 90 L

Exhausted oil drain unit for pits 90 l Tank capacity 90 l Equipped with: Breakwater grate on the base of the tank Breakwater grate for drip the substituted oil filters Adjustable wheeled supports (min 800 – max1200 mm) F 3/4" G exhaust ball valve ...

CODE	046-1457-000
PRICE	€ 230,95



GREASE CONTROL GUN WITH FLEXIBLE HOSE AND 4 JAWS COUPLING SWIVEL JOINT F 1/4"

Grease control gun with flexible hose and 4-jaws coupling Length flexible hose 400 mm Swivel joint F 1/4

CODE	014-1081-000
PRICE	€ 36,05





HOSE REEL FIXED FOR DIESEL 10 BAR MOD. F 550 WITH HOSE 15 M Ø 3/4"

Equipped with: - Antistatic black rubber hose 15 m - \varnothing 3/4" Inlet-outlet F1"G - M1"G - Galvanized connection - Swivelling joint 90° galvanized - Viton seals Hose reel capacity 85 l/min
POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1408-515
PRICE	€ 413,29



HOSE REEL FIXED FOR OIL 160 BAR MOD. F 400 WITH HOSE 10 M Ø 1/2"

Equipped with: - Synthetic black rubber hose 15C 10 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals
POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1206-410
PRICE	€ 276,50



HOSE REEL FIXED FOR OIL 160 BAR MOD. F 460 WITH HOSE 15 M Ø 1/2"

Equipped with: - Synthetic black rubber hose 15C 15 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals
POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1306-415
PRICE	€ 326,55



MICHELIN APPROVED INFLATING EURODAIRU GUN WITH Ø 80 GAUGE APPROVED TO EUROPEAN DIRECTIVE CEE 86/217

Michelin approved inflating eurodairu gun with \varnothing 80 gauge approved to European Directive CEE 86/217 Scale 0,7-12 bar Rubber gauge-cover

CODE	063-1598-A00
PRICE	€ 77,25



OIL AND DIESEL FUEL TRANSFER PUMP DELIVERY CAPACITY 30 L/MIN

Oil and diesel fuel transfer pump Telescopic shank for drums of 30-220 l Delivery capacity 30 l/min Suitable for the dispensing of low and high viscosity oils (SAE 15-220); they are prearranged for the direct application to the pump tank.

CODE	027-1325-000
PRICE	€ 23,20



OIL DIGITAL DISPENSING NOZZLE AUTOMATIC DROP VALVE Ø 14 MM

Oil digital dispensing nozzle Rubber protection Handle with F 1/2" swivel joint Flexible end 90° Automatic drop valve Ø 14 mm

CODE	024-1233-C00
PRICE	€ 170,63



OIL SET FOR TANK 1000 L

The tank is not included in the oil set It is a complete solution that constitutes an independent working station. The pump, the hose reel and the picking up drops are fixed directly to the tank by the supporting bracket. EQUIPPED WITH 1 x Double-ac ...

CODE	022-1896-000
PRICE	€ 926,53



OIL SET SUITABLE FOR BARRELS OF 180 220 L DELIVERY CAPACITY 25 L/MIN

EQUIPPED WITH 1 x Air-operated oil pump Mod.503 ratio 3:1 Delivery capacity 25 l/min 1 x R1 hose 1/2" M-F length 3m 1 x Oil digital dispensing nozzle

CODE	022-1288-B00
PRICE	€ 383,88





POLISHED STEEL PRESSURE SPRAYER 24 L

Polished steel pressure sprayer 24 l Tank capacity 24 l with lever indicator Equipment suitable for the nebulisation of low density lubricating oils, detergents, disinfectants, and so on. When they are filled with liquid for 3/4 of their capacity and ...

CODE	050-1520-000
PRICE	€ 163,99



POLISHED STEEL PRESSURE SPRAYER 24 L WITH FOAMING DEVICE

Polished steel pressure sprayer 24 l With foaming device Tank capacity 24 l with lever indicator Equipment suitable for the nebulisation of detergents with foaming device. When they are filled with liquid for 3/4 of their capacity and air is put insi ...

CODE	051-1522-000
PRICE	€ 190,48



POLISHED STEEL PRESSURE SPRAYER 50 L

Polished steel pressure sprayer 50 l Tank capacity 50 l with lever indicator Equipment suitable for the nebulisation of low density lubricating oils, detergents, disinfectants, and so on. When they are filled with liquid for 3/4 of their capacity and ...

CODE	050-1525-000
PRICE	€ 235,31



POLISHED STEEL PRESSURE SPRAYER 50 L WITH FOAMING DEVICE

Polished steel pressure sprayer 50 l With foaming device Tank capacity 50 l with lever indicator Equipment suitable for the nebulisation of detergents with foaming device. When they are filled with liquid for 3/4 of their capacity and air is put insi ...

CODE	051-1527-000
PRICE	€ 261,80





**PRESSURE REGULATOR WITH FILTER, LUBRICATOR AND GAUGE
 INLET – OUTLET CONNECTION F 1/2"**

Pressure regulator with filter, lubricator and gauge Inlet – outlet connection F 1/2" Automatic outlet of condensation In order to optimize the efficiency and the life time of your air-operated equipment we recommend to use condensate and particl ...

CODE 014-1048-B00
 PRICE € 89,74



**PRESSURE REGULATOR WITH FILTER, LUBRICATOR AND GAUGE
 INLET – OUTLET CONNECTION F 1/4"**

Pressure regulator with filter, lubricator and gauge Inlet – outlet connection F 1/4" Automatic outlet of condensation. It optimizes the working and life of pumps. When the pump is regularly used, it fully prevents the seizing-up of the moving pa ...

CODE 014-1048-000
 PRICE € 64,18



**STAINLESS STEEL BRAKE BLEEDER CLUTCHES WITH THREE
 CHAMBERS 6 L WITH STANDARD PLUGS**

Stainless steel brake bleeder-clutches with three chamber 6 l Equipped with: Tank oil capacity 6 l 4 mRILSAN spring hose 2 oil recovery basins 1 l with rubber hose and pipette 90° 1 filling funnel standard plugs (mod. 1-4-6-9-18-25)

CODE 080-1789-000
 PRICE € 331,69



**STAINLESS STEEL HOSE REEL AISI 304 FIXED FOR WATER 150°
 C 200 BAR MOD. FX 400 WITH HOSE 15 M Ø 5/16**

Equipped with: - Syntethic rubber hose no trace blue 15C 15 m - ø 5/16" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSION ...

CODE 070-2204-215
 PRICE € 499,80





STAINLESS STEEL PRESSURE SPRAYER AISI 304 24 L

Stainless steel pressure sprayer AISI 304 24 l Tank capacity 24 l with lever indicator Manometer with stainless steel case Equipment suitable for the nebulisation of low density lubricating oils, detergents, disinfectants, and so on. When they are fi ...

CODE	050-1510-000
PRICE	€ 342,68



TANK OF DUMP AND STOCKING FOR 2 BARRELS OF 180 220 L

This steel tank is suitable for the storage of metal drums of lubricants and simply transportable with fork truck or trans pallet. The tank is produced with strong metal, reinforced with frames in shapes, the grates are galvanized. According to the n ...

CODE	023-1910-000
PRICE	€ 376,52



TRANSFER PUMP FOR ANTI FREEZE LIQUID, SOLVENTS

Transfer pump for anti-freeze liquid, solvents Telescopic shank for drums of 30-220 l Delivery capacity 30 l/min Suitable for the dispensing of low and high viscosity oils (SAE 15-220); they are prearranged for the direct application to the pump tank.

CODE	027-1325-A00
PRICE	€ 27,06



TROLLEY FOR 180 220 KG BARRELS WITH BAND FOR FIXED BARRELS

Trolley for 180-220 Kg barrels Pre-arranged for application of the hose reel Equipped with: 2 fixed wheels Ø200 mm 1 swivelling wheel Ø125 mm (equipped with locking device) Band for fixed barrels Base dimension 600x470 mm Set and varnished trolleys ...

CODE	030-1398-000
PRICE	€ 175,05



WALL FIXED OIL SET FOR BARRELS OF 180–220 L

EQUIPPED WITH 1 x Double-acting air-operated oil pump Mod.603 ratio 3:1 Delivery capacity 30 l/min 1 x Support for picking up drops for oil nozzle 1 x R1 hose 1/2" F-F length 1,5m 1 x Hose reel swivelling FOR OIL 160 bar Mod. S-400 WITH HOSE 1 x Oil digital dispensing nozzle

CODE	022-1301-000
PRICE	€ 740,55



WASHING COLLECTOR WITH WHEELED TANK 65 L

Washing collector with wheeled tank 65 l Collector capacity 50 l with removable lid Tank capacity 65 l Max use pressure 0,5 bar Equipped with: Filter and grate of decantation Blowing nozzle with spiral hose Brush with nylon bristles with 1,5 m length ...

CODE	055-1560-000
PRICE	€ 480,19



WHEELED EXHAUSTED OIL DRAIN UNIT 60 L

Wheeled exhausted oil drain unit 60 l Tank capacity 60 l Equipped with: Breakwater grate on the base of the tank Breakwater grate for drip the substituted oil filters 2 swivelling wheels Ø80 mm 2 fixed wheels Ø100 mm F 3/4" G exhaust ball valve E ...

CODE	047-1459-000
PRICE	€ 220,60



WHEELED GREASE SET SUITABLE FOR BARRELS 180–220 KG

Wheeled grease set suitable for barrels 180–220 kg

CODE	013-1121-000
PRICE	€ 569,21



WHEELED GREASE SET SUITABLE FOR DRUMS 18–30 KG

EQUIPPED WITH 1 x Air-operated grease pump ratio 60:1 Mod. 660 18-30 kg 1 x Lid for pumps with shank Ø 30 mm 1 x Follower plate for pumps with shank Ø 30 mm 1 x Grease control gun with flexible hose and 4-jaws coupling 1 x Trolley for 20-60 Kg drum ...

CODE	013-1106-000
PRICE	€ 359,60





WHEELED GREASE SET SUITABLE FOR DRUMS 50–60 KG

EQUIPPED WITH 1 x Air-operated grease pump ratio 60:1 Mod. 660 50-60 kg 1 x Lid for pumps with shank Ø 30 mm 1 x Follower plate for pumps with shank Ø 30 mm 1 x Grease control gun with flexible hose and 4-jaws coupling 1 x Trolley for 50-60 Kg ...

CODE	013-1118-000
PRICE	€ 423,38



WHEELED MANUAL GREASE PEDAL PUMP 16 KG

Wheeled manual grease pedal pump 16 kg Outlet grease pressure 400 bar 40 g delivery by 10 cycles of the lever Wheeled container 16 kg

CODE	016-1144-000
PRICE	€ 208,11



WHEELED OIL SET SUITABLE FOR BARRELS OF 180– 220 L

EQUIPPED WITH 1 x Air-operated oil pump Mod.503 ratio 3:1 Delivery capacity 25 l/min 1 x Trolley for 180-220 Kg barrels 1 x R1 hose 1/2" F-F length 1,5m 1 x Hose reel fixed FOR OIL 160 bar Mod. F-400 WITH HOSE 1 x Oil digital dispensing nozzle

CODE	022-1299-E00
PRICE	€ 822,16



WHEELED OIL SET SUITABLE FOR BARRELS OF 180–220 L MOD.503 RATIO 3:1 DELIVERY CAPACITY 25 L/MIN

EQUIPPED WITH 1 x Air-operated oil pump Mod.503 ratio 3:1 Delivery capacity 25 l/min 1 x Trolley for 180-220 Kg barrels 1 x R1 hose 1/2" M-F length 3m

CODE	022-1299-C00
PRICE	€ 558,86