



Mister Worker[®]
YOUR PROFESSIONAL TOOLS SUPPLIER

CATALOG

SEPTEMBER 2020



METRICA
MADE TO MEASURE

LASER MEASURING



COATING ELECTRONIC THICKNESS GAUGE FE-NFE

Instant measurement of the thickness of paints or coatings on: - Ferrous metal surfaces (FE) - Non-ferrous metal surfaces (NFE) Supplied with detection probe and cable Measuring range: 0 - 1250 ? Resolution: 0.1 ? to 100?. 1? over 100? Accuracy: ± ...

| | |
|-------|----------|
| CODE | 60271 |
| PRICE | € 470,70 |



CONTACT DIGITAL TACHOMETER

Contact type 5 digits reading Range 0,2- 30.000 RPM Automatic decimal point setting Connection ready for optical probe Accuracy: - ± 0,1 rpm until 1000 rpm - ± 0,005% ± 1 digit from 1.000 to 30.000 rpm Power: 4 batteries 1,5V (lasting 20 working h ...

| | |
|-------|----------|
| CODE | 70023 |
| PRICE | € 323,03 |



INFRARED THERMOMETER

Industrial use Capacity: -10 °C - 400 °C Accuracy: 0,1 °C Working temperature: 0 °C - 40 °C Relative humidity: 10-95% RH Batteries: 2 x 1,5 V

| | |
|-------|---------|
| CODE | 60290 |
| PRICE | € 50,25 |



METAL DETECTOR

Operating modes: all metal, coins, small hardware Indicator of the target: analogue and Audio - jack for headphones (not supplied) Sensitivity: maximum depth: 16 cm in ALL METAL mode Plate research diameter 170 mm, waterproof Power supply: 2 9V batte ...

| | |
|-------|---------|
| CODE | 60282 |
| PRICE | € 70,14 |



MOISTURE TESTER

Moisture tester Humidity gauge for wood and cement Double measuring possibility: - contact measuring (fi g. A) - deep measuring with probe (fi g. B) In case

| | |
|-------|----------|
| CODE | 60274 |
| PRICE | € 220,48 |



MULTIFUNCTIONAL PHONOMETER

Measure Lp-Leq-Ln Resolution: 0,1 dB Accuracy: ± 1 dB In case Not on sale In Germany, France, UK and USA MULTIFUNCTIONAL PHONOMETER Lp: 30 ~ 130 db (A); 35 ~ 130 db (B); 40 ~ 130 db (C) Leq: 30 ~ 130 db (10s, 1min, 5min, 10min, 15min, 30min, 1h, 8h, ...

| | |
|-------|----------|
| CODE | 60294 |
| PRICE | € 111,78 |



PROFESSIONAL STUD FINDER

Indication of the detection depth: - Iron 100 mm - Wood 20 mm - Live cables 50 mm Electronic level with inclinometer

| | |
|-------|---------|
| CODE | 61530 |
| PRICE | € 89,00 |



OPTICAL DIGITAL TACHOMETER

Optical type 5 digits direct reading Instant measure of the angular velocity Range 2-100.000 RPM Automatic decimal point setting Accuracy: $\pm 0,1$ rpm until 1.000 rpm - $\pm 0,005 \pm 1$ digit from 1.000 to 100.000 rpm In shokproof case supplied with 5 ...

| | |
|-------|----------|
| CODE | 70029 |
| PRICE | € 346,62 |



THERMO-ANEMOMETER

Temperature and Air Velocity Measurement) Air speed: m / s, ft / min, km / h, knots and MPH (4 knots Measurement of the temperature in $^{\circ}$ C or $^{\circ}$ F Lock function of the measured value and the maximum value (HOLD) Low battery indicator Auto-off Comple ...

| | |
|-------|----------|
| CODE | 60291 |
| PRICE | € 111,78 |



THICKNESS DIGITAL ULTRASONIC GAUGE

To measure metal, glass and plastic thickness On plane or on round surfaces Supplied with separated probe and extendable cable Accuracy: 0,1 mm Capacity: 1,5 - 200 mm Reading: mm/inch In case

| | |
|-------|----------|
| CODE | 60286 |
| PRICE | € 405,07 |



ALUMINIUM TELESCOPIC GAUGE

Scale on each rod: - front: mm - back: geodetic Very strong hexagonal section Made by 4/5 telescopic rods Movable circle vial for right vertical positioning In soft case

| | | |
|-------|---------|---------|
| CODE | 49204 | 49205 |
| PRICE | € 38,87 | € 47,89 |



DIGITAL ELECTRONIC THEODOLITE DT2

Digital Theodolite Incremental angles measuring 2 Liquid Crystal Displays Absolute encoder system Rechargeable batteries or 4 x 1,5 V AA Laser plummet TECHNICAL DATA Minimum reading 1"/5" Accuracy 2" Telescope length 156 mm Objective lens aper ...

| | |
|-------|------------|
| CODE | 60840 |
| PRICE | € 1.310,00 |



FOLDING STAFF - 6 RODS 300 CM

Wooden folding staff Total length 3 m Graduation: - front: mm - back: geodetic

| | |
|-------|---------|
| CODE | 60090 |
| PRICE | € 66,72 |



OPTICAL LEVEL

Automatic level 20x, 24x, 32x Mean error ± 2.5 mm to 1 km Graduated base: 360° Additive constant: 0 Accuracy: $\pm 0.5''$ Supplied in case

| | | | |
|-------|----------|----------|----------|
| CODE | 60466 | 60467 | 60480 |
| PRICE | € 189,00 | € 178,00 | € 170,00 |



OPTICAL LEVEL KIT

Automatic level 5 m telescopic gauge composed by 5 rods. Graduation: mm in front, Geodetic on the back Aluminium tripod with flat base Supplied with a plumb line

| | | | |
|-------|----------|----------|----------|
| CODE | 89266 | 89267 | 89268 |
| PRICE | € 314,00 | € 306,00 | € 325,00 |



SURVEY NAILS

Nail of treated steel Pack of 100 pcs. in plastic jar Weight of each nail: 30 gr

| | |
|-------|---------|
| CODE | 250 |
| PRICE | € 80,66 |





EARTHMOVING CONTROL-RECEIVER

It allows the control of the leveling of the ground on earthmoving machines. Intercepts the signal from any rotary laser. Length of the receiving bar 25 cm on a 360° arc. Luminescent diodes intercept the laser line. Equipped with screwed brackets to fas ...

| | |
|-------|------------|
| CODE | 60833 |
| PRICE | € 1.056,27 |



EXTENSION 5/8"

Metal extension with male/female thread. Works with Code 60807, 60803, 60801, 60802

| | |
|-------|---------|
| CODE | 60810 |
| PRICE | € 16,00 |



LASER SUPPORT

Works with Code 60821, 60822

| | |
|-------|---------|
| CODE | 60838 |
| PRICE | € 13,33 |



MAGNETIC SUPPORT FOR WALLS AND PLASTERING

Magnetic holder. Possible to use: profiles max 5 mm, ferrous metal walls with dowels/nails. Works with Code 61400, 61405, 61410, 61415

| | |
|-------|---------|
| CODE | 61340 |
| PRICE | € 36,51 |



MAGNETIC SUPPORT FOR WALLS AND PLASTERING

Magnetic holder. Possible to use: profiles max 5 mm, ferrous metal walls with dowels/nails. Works with Code 61400, 61405, 61410, 61415

| | |
|-------|---------|
| CODE | 61342 |
| PRICE | € 46,50 |





MAGNETIC SUPPORT FOR WALLS AND PLASTERING

Magnetic holder Possible to use: profiles max 5 mm, ferrous metal walls with dowels/nails
 Works with Code 61400, 61405, 61410, 61415

| | |
|-------|---------|
| CODE | 61440 |
| PRICE | € 32,82 |



MAGNETIC WALL MOUNT

Works with Code 61300, 60804

| | |
|-------|---------|
| CODE | 60714M |
| PRICE | € 18,10 |



MAGNETIC WALL MOUNT

Works with Code 60805, 60814

| | |
|-------|---------|
| CODE | 60837 |
| PRICE | € 20,00 |



RADIO REMOTE CONTROL FOR LASER LEVELS

Range 50 m Works with Code 61345

| | |
|-------|---------|
| CODE | 61324 |
| PRICE | € 77,25 |



PROFESSIONAL RECEIVER FOR ROTATIVE LASERS

Accuracy ± 1 mm Signal: Led and acoustic beep Supplied with fixing bracket Works with Code 61345, 61350, 61355 4 lines indication

| | |
|-------|----------|
| CODE | 61328 |
| PRICE | € 150,00 |





PROFESSIONAL RECEIVER WITH MM-READING

Accuracy ± 1 mm Signal: Led and acoustic beep Supplied with fixing bracket Works with Code 61345, 61350, 61355 4 lines indication sensitivity with mm/inches - indication

| | |
|-------|----------|
| CODE | 61326 |
| PRICE | € 250,00 |



RECEIVER FOLLOW ME + ROTATING BASE

Follow Me function: automatic centring of the vertical beam on the receiver where you want Function remote radio control: command /control the rotation of the rotating base (allows you to work without help) Scanner function: detects the laser beams as a normal receiver

| | |
|-------|----------|
| CODE | 60611 |
| PRICE | € 239,00 |



RECEIVER FOR OUTDOOR USE FOR PENDULUM-TYPE LASER LEVELS

Range 50 m

| | | |
|-------|---------|---------|
| CODE | 60748 | 60749 |
| PRICE | € 80,00 | € 93,85 |



RECEIVER FOR OUTDOOR USE FOR PENDULUM-TYPE LASER LEVELS

Receiver for pendulum-type self-leveling (Red and/or Green) Accuracy ± 1 mm Signal: Led and acoustic beep Supplied with fixing bracket Working range 30/50 m depending on laser type

| | | |
|-------|---------|---------|
| CODE | 61331 | 61332 |
| PRICE | € 87,17 | € 87,17 |



RECEIVER FOR OUTDOOR USE FOR PENDULUM-TYPE LASER LEVELS - GREEN

Accuracy ± 1 mm Signal: bright LED and acoustic beep Supplied with fixing bracket Working range 30/50 m depending on laser type

| | | |
|-------|---------|----------|
| CODE | 60811 | 60843 |
| PRICE | € 94,96 | € 101,52 |





RECEIVER FOR OUTDOOR USE FOR SELF LEVELING LASER

Signal: Led and acoustic beep Supplied with fixing bracket

| | | |
|-------|---------|---------|
| CODE | 60831 | 60832 |
| PRICE | € 98,45 | € 98,45 |



REMOTE CONTROL FOR LASER LEVELS

Range 20 m Works with Code 60821, 60822

| | | |
|-------|---------|---------|
| CODE | 60744 | 60820 |
| PRICE | € 36,15 | € 14,36 |



ROTATING ADAPTER

Rotary joint: 360° 1/4"/5/8" Works with Code 61300, 60804, 60805, 60814,61360, 61365

| | |
|-------|--------|
| CODE | 60815 |
| PRICE | € 6,61 |



RECEIVER FOR OUTDOOR USE FOR SELF LEVELING LASER

Accuracy ±1 mm Signal: bright LED and acoustic beep Supplied with fixing bracket Works with Code 61355, 60719BM, 61345, 61350

| | |
|-------|----------|
| CODE | 60736 |
| PRICE | € 144,50 |



RECEIVER FOR OUTDOOR USE FOR SELF LEVELING LASER - WORKS WITH CODE 60719

Signal: Led and acoustic beep Supplied with fixing bracket Works with Code 60719

| | |
|-------|----------|
| CODE | 60724 |
| PRICE | € 123,06 |





REMOTE CONTROL FOR LASER LEVELS - WORKS WITH CODE 61355, 61350, 60719BM

Range 20 m Works with Code 61355, 61350, 60719BM

| | |
|-------|---------|
| CODE | 60735 |
| PRICE | € 36,15 |



SLIDING BASE

Swivel base for laser TOTAL 360° series I Allows the rotation and translation of the laser projections for easy tracing and control in any position Can be mounted on a tripod with 5/8" screw Adjustable feet 5/8"-thread for laser levels Rapid mov ...

| | |
|-------|---------|
| CODE | 61335 |
| PRICE | € 89,58 |



SUPPORT FOR SLOPE 0-90°

Base for the inclination of rotative lasers

| | |
|-------|---------|
| CODE | 60830 |
| PRICE | € 51,74 |



TARGET GREEN

Magnetic

| | | |
|-------|--------|--------|
| CODE | 60713 | 60866 |
| PRICE | € 8,05 | € 6,38 |



UNIVERSAL CLAMP

Works with Code 61300, 60804, 60805, 60814

| | |
|-------|---------|
| CODE | 60816 |
| PRICE | € 20,05 |





TELESCOPIC ROD FOR LASER RECEIVERS

Anodized aluminum, 2.4 m height Scratchproof graduation Fitted to support fixing bracket for laser sensor (Fig. A) Quick lock with screw (Fig. B) Working stroke by gradients ± 50 cm

| | |
|-------|---------|
| CODE | 60621 |
| PRICE | € 56,31 |



TELESCOPIC ROD WITH BRACKET

Composed of 4 screwable pieces (max 3.60 m) Sliding supporting plane Two plates for fitting to floor and ceiling Height adjustment thanks to a telescopic rod with locking ring Supporting plane sliding along the vertical, with quick locking lever, w ...

| | |
|-------|---------|
| CODE | 60559 |
| PRICE | € 58,81 |



TELESCOPIC ROD WITH BRACKET - WITH TRIPOD SUPPORT

Composed of 4 screwable pieces (max 3.60 m) Sliding supporting plane With tripod support Height adjustment thanks to a telescopic rod with locking ring Supporting plane sliding along the vertical, with quick locking lever, with screw 5/8" Suppli ...

| | |
|-------|---------|
| CODE | 60560 |
| PRICE | € 73,85 |



WALL BRACKET FOR BRAVO LASER

Professional wall bracket Aluminum Adjustable height 2 holes for direct fixing to the wall Well adaptable to a profile by means of double locking device

| | |
|-------|---------|
| CODE | 60712 |
| PRICE | € 76,50 |



DISPLAY FOR METRICA FLASH

DISPLAY FOR METRICA FLASH Free composition 30 x 45 x 16 cm

| | |
|-------|------------|
| CODE | EXPO FLASH |
| PRICE | € 59,25 |



KIT PROPACK S910

Contains: device S910 tripod TR170 target GZM3 case new FTA360-S

| | |
|-------|------------|
| CODE | 61012 |
| PRICE | € 2.242,50 |



LEICA DISTO D110

Continuous measurement - single multifunction button Quick Measurements: Bluetooth Smart with free App Ergonomic - new form - removable pocket clip ISO Standard 16331-1 Area function With clip Pocket size Range up to 60 m Precision: $\pm 1,5$ mm IP: 54 ...

| | |
|-------|----------|
| CODE | 61017 |
| PRICE | € 142,50 |



LEICA DISTO D2 NEW

Ergonomic and compact design with soft grip Results obtained on 3 lines Backlight for reading in the dark Continuous measurement, with min/max Horizontal automatic measurement, automatic diagonal Tracking and storage of results Pythagoras function wi ...

| | |
|-------|----------|
| CODE | 61008 |
| PRICE | € 172,50 |



LEICA DISTO D510

Simple aiming with digital 4x zoom viewfinder even in low light 360° tilt sensor Measurements of height even without reflection surfaces (eg: height of a tree or of a facade) Quick reliefs: Bluetooth Smart with Free App Ergonomic Very strong and eas ...

| | |
|-------|----------|
| CODE | 61007 |
| PRICE | € 480,00 |





LEICA DISTO D810 TOUCH

Simple targeting with viewfinder and with 4X digital zoom also with reduced brightness Camera Touchscreen 360° tilt sensor Measures heights even without reflective surfaces (ex. Height of a tree or a wall) Quick Measurements: Bluetooth Smart with fr ...

| | |
|-------|----------|
| CODE | 61015 |
| PRICE | € 765,00 |



LEICA DISTO S910

Measures the distance between two points Simple targeting with viewfinder and with 4X digital zoom also with reduced brightness Overview Camera Touchscreen 360° tilt sensor Measures heights even without reflective surfaces (ex. Height of a tree or a ...

| | |
|-------|------------|
| CODE | 61010 |
| PRICE | € 1.858,50 |



LEICA DISTO X310

360° tilt sensor Fall protection up to 2 m Smart Horizontal ModeTM (*) Tracking of heights Power Range TechnologyTM (*) Illuminated display with 4 lines Multifunctional adapter, automatic IP 65, dust-proof and resistant to water jets Functions: min/ ...

| | |
|-------|----------|
| CODE | 61001 |
| PRICE | € 240,00 |



METRICA DOUBLE LASER 50

Direct display of measurement from ceiling to floor 2 lasers: one on the front side + one on the back side Immediate measurement of the sum of the 2 lasers Possibility of measurement with only one laser (front or rear) Backlit display on 4 lines High ...

| | |
|-------|---------|
| CODE | 61112 |
| PRICE | € 84,62 |



METRICA FLASH

4-line backlit display High visibility black screen Continuous measurement function, with max / min values always displayed 4 functions of Pythagoras Guided tracking Distances, Surfaces, Volumes Sum and subtraction of distances, surfaces and volumes ...

| | | |
|-------|---------|---------|
| CODE | 61130 | 61155 |
| PRICE | € 74,00 | € 96,00 |





METRICA FLASH - DOUBLE INCLINOMETER

Double inclinometer (horizontal and vertical) Electronic vial Continuous measurement function, with max / min values always displayed Max/min always displayed Six Pythagoras functions Guided tracking Distances, Surfaces, Volumes Sums and subtraction ...

| | | |
|-------|----------|----------|
| CODE | 61160 | 61180 |
| PRICE | € 119,00 | € 139,00 |



METRICA FLASH 120 ZOOM

4X zoom camera with viewfinder Photo of the measured point with measurement memory Video and voice recording with memo Dual digital inclinometer (horizontal and vertical) Continuous measurement function, with max / min values always displayed 7 Pytha ...

| | |
|-------|----------|
| CODE | 61190 |
| PRICE | € 269,23 |



METRICA FLASH 80 METER TARGET CAMERA

Target camera, camera with viewfinder to see where you are measuring Double inclinometer (horizontal and vertical) Electronic vial Continuous measurement function, with max / min values always displayed Six Pythagoras functions Guided tracking Distan ...

| | |
|-------|----------|
| CODE | 61185 |
| PRICE | € 213,85 |



METRICA FLASH GO 15

Immediate measurement Display on 1 line 3 units mm/inch/ft Automatic switch-off With hand strap Rechargeable LI-ION battery with enclosed cable TECHNICAL DATA Range* 15 m (internal) Accuracy ± 3 mm Laser type 620-690 nm <1mW Laser power Class II ...

| | |
|-------|---------|
| CODE | 61109 |
| PRICE | € 30,77 |



METRICA FLASH MINI 30

Backlit display on 4 lines High visibility screen Continuous measurement function with MAX and MIN Distances, surfaces, volumes 2 Pythagoras functions Sum, subtraction 10 memories Auto Off With strap Rechargeable Li-ion battery In pouch TECHNICAL DA ...

| | |
|-------|---------|
| CODE | 61110 |
| PRICE | € 59,00 |





METRICA ONE

Backlit 1-line display High visibility screen Continuous measurement function Distances, surfaces, volumes 1 vial Auto-Off Sound function With strap With pouch TECHNICAL DATA Range * 30 m Accuracy ± 2 mm Battery life 8.000 single measurements Laser ...

| | |
|-------|---------|
| CODE | 61120 |
| PRICE | € 46,00 |






BRAVO LASER BOX - SELF LEVELING LASERS

Automatic laser level: projects a vertical and a horizontal self-leveled plane for indoor use (red laser) Automatic laser flashing when the device is outside of the selfleveling range Compact, non-slip rubber bumper TECHNICAL CHARACTERISTICS Range: ...

| | |
|-------|---------|
| CODE | 61300 |
| PRICE | € 59,00 |



BRAVO LASER CR + 5 DOTS GREEN

Pocket-sized self-levelling laser for indoor and outdoor use with receiver (not included) Rubberized, non-slip and shockproof Projects a horizontal and a vertical line Projects a cross (horizontal over 180° + vertical) both fixed and self-leveled Pr ...

| | |
|-------|----------|
| CODE | 61365 |
| PRICE | € 261,54 |



BRAVO LASER CR + 5 DOTS RED

Pocket-sized self-levelling laser for indoor and outdoor use with receiver (not included) Rubberized, non-slip and shockproof Projects a horizontal and a vertical line Projects a cross (horizontal over 180° + vertical) both fixed and self-leveled Pr ...

| | |
|-------|----------|
| CODE | 61360 |
| PRICE | € 200,00 |



DISPLAY FOR BRAVOLASER

Free configuration

| | |
|-------|------------|
| CODE | EXPO AUTOL |
| PRICE | € 240,00 |



LASERBOX 180

Self-leveling laser: projects a vertical and horizontal plane with a 180 ° opening, both fixed or self-leveled, for indoor and outdoor use (with receiver Ref. 60811 not included) Automatic laser switch-off if the device is outside the selfleveling r ...

| | |
|-------|----------|
| CODE | 60805 |
| PRICE | € 130,77 |



OPTIONAL KIT RECHARGEABLE LI-ION BATTERIES AND CHARGER/POWER SUPPLY 220 V



OPTIONAL KIT Rechargeable Li-ion batteries and charger/power supply 220 V

| | |
|-------|---------|
| CODE | 60842 |
| PRICE | € 30,08 |

OPTIONAL KIT RECHARGEABLE LI-ION BATTERIES AND CHARGER/POWER SUPPLY 220 V



OPTIONAL KIT Rechargeable Li-ion batteries and charger/power supply 220 V

| | |
|-------|---------|
| CODE | 61445 |
| PRICE | € 14,00 |

ROTARY LASER SELF-LEVEL WITH 4 HANDLES TILTING TOP



High-sensitivity receiver WITH deviation indication in mm Metal cover Creates a horizontal, vertical or inclined plane that can be adjusted by $\pm 10\%$ in X and Y direction and two plumb lines Adjustment of the inclined plane shown on the display By ro ...

| | |
|-------|------------|
| CODE | 61345 |
| PRICE | € 1.130,77 |

RUBBER H ROTARY LASER SELF LEVEL



Self-leveling rotary laser (red beam): projects a rotating horizontal line Automatic system of alignment Rotational speed adjustment: 4 speeds Receiver for outdoor use (Code 60724) TILT function: the laser beam flashes and stops rotating in case of i ...

| | |
|-------|----------|
| CODE | 60719 |
| PRICE | € 465,00 |

RUBBER H ROTARY LASER SELF LEVEL



Self-leveling rotary laser: projects a rotating horizontal line (red) Automatic alignment system Rotational speed adjustment: 4 speeds SCANNER function to achieve a more visible and shorter line with 4 lengths of your choice With external receiver SL ...

| | |
|-------|----------|
| CODE | 60719BM |
| PRICE | € 361,54 |





SELF LEVEL ROTARY LASER RECEPTION 4 SIDES

High-sensitivity 4-line receiver Metal cover Self-levelling laser with visible rotating beam (red): creates a horizontal plane, self-leveled, and 2 plumb lines IP 66 dust/waterproofing: protected against ingress of dust and water By rotating the unit ...

| | |
|-------|----------|
| CODE | 61350 |
| PRICE | € 792,31 |



SELF LEVEL ROTARY LASER RECEPTION 4 SIDES

Non-slip rubber covering Increased glasses Automatic laser level with visible rotating red beam: generates a horizontal self-leveled plane and the plumb line IP 64 Dust/waterproofing;protected against the ingress of dust and splashes of water By rot ...

| | |
|-------|----------|
| CODE | 61355 |
| PRICE | € 669,00 |



SELF-LEVEL LASERBOX 2 RUBBERIZED

Self-leveling laser: projects a vertical plane and a horizontal cross both fixed and self-leveled, for indoor and outdoor use (red laser) Indoor and outdoor use (with receiver not included) Automatic laser shutdown if the device is out of range of se ...

| | |
|-------|----------|
| CODE | 60804 |
| PRICE | € 122,50 |



SELF-LEVELING LASER H360 + 2V

Laser level with red laser beams. Projects: a 360 ° horizontal plane and two vertical planes at 90 ° to each other forming two wall crosses Easy positioning at ceilings (<2 cm) Indoor and outdoor use (with receiver not included) Automatic laser ...

| | |
|-------|----------|
| CODE | 60814 |
| PRICE | € 295,00 |



SELF-LEVELING LASER METRICA 3D GREEN

Projects 3 laser planes at 360°: a horizontal plane and two vertical planes at 90 ° to each other Plumb line always visible with 4 squares at the walls 2 crosses, one at the ceiling and on the ground external to the base of the structure for always ...

| | |
|-------|----------|
| CODE | 61410 |
| PRICE | € 441,54 |





SELF-LEVELING LASER METRICA 3D JUNIOR GREEN

Projects 3 laser planes at 360°: a horizontal plane and two vertical planes at 90 ° to each other 4 squares at the walls Red self-leiving laser. Projects 3 laser planes at 360°: a horizontal plane and two vertical planes at 90° to each other Plum ...

| | |
|-------|----------|
| CODE | 61415 |
| PRICE | € 284,62 |



SELF-LEVELING LASER METRICA 3D JUNIOR RED

Projects 3 laser planes at 360°: a horizontal plane and two vertical planes at 90 ° to each other 4 squares at the walls Red self-leiving laser. Projects 3 laser planes at 360°: a horizontal plane and two vertical planes at 90° to each other Plum ...

| | |
|-------|----------|
| CODE | 61405 |
| PRICE | € 229,23 |



SELF-LEVELING LASER METRICA 3D RED

Projects 3 laser planes at 360°: a horizontal plane and two vertical planes at 90 ° to each other Plumb line always visible with 4 squares at the walls 2 crosses, one at the ceiling and on the ground external to the base of the structure for always ...

| | |
|-------|----------|
| CODE | 61400 |
| PRICE | € 323,08 |



SELF-LEVELING LASER SL-GREEN

Self-leveling green laser with visible rotating beam generates a self-leveled horizontal plane and a plumb line Rotating the unit by 90°, it generates a self-leveled vertical laser plane and a horizontal ray TILT function: in case of unintentional d ...

| | |
|-------|----------|
| CODE | 60822 |
| PRICE | € 749,00 |



SELF-LEVELING LASER SL-RED

Self-leveling red laser with visible rotating beam generates a self-leveled horizontal plane and a plumb line Rotating the unit by 90°, it generates a self-leveled vertical laser plane and a horizontal ray TILT function: in case of unintentional dis ...

| | |
|-------|----------|
| CODE | 60821 |
| PRICE | € 590,00 |





SELF-LEVELING LASER SQ 2.0 GREEN

Projects: 1 complete square, a cross (green laser) and a plumb (red laser) Indoor use and for outdoors (with receiver not included) Magnetic damping Automatic ray flashing if the instrument is tilted more than $\pm 3^\circ$ Micrometric screw for small displ ...

| | |
|-------|----------|
| CODE | 60803 |
| PRICE | € 270,00 |



SELF-LEVELING LASER SQ RED

Projects a cross, a square and a plumb (red laser) Self-leveling magnetic damping Automatic ray flashing if the instrument is tilted more than $\pm 2.5^\circ$ Micrometric screw for small displacements For indoor and outdoor use (with receiver not included R ...

| | |
|-------|----------|
| CODE | 60801 |
| PRICE | € 169,00 |



SELF-LEVELING LASER XL 2.0

Projects: 4 complete squares, a cross and a plumb (red lasers) Indoor use and for outdoors (with receiver not included) Magnetic damping Automatic ray flashing if the instrument is tilted more than $\pm 3^\circ$ Micrometric screw for small displacements Aut ...

| | |
|-------|----------|
| CODE | 60802 |
| PRICE | € 198,50 |



SELF-LEVELING LASER XXL

Full 360° HORIZONTAL LINE (red laser) 4 crosses on the wall + 4 complete SQUARES Plumb on the floor Indoor and outdoor use (with receiver Code 60811 not included) Magnetic damping Automatic flashing if the instrument is tilted more than $\pm 2.5^\circ$ Mic ...

| | |
|-------|----------|
| CODE | 60807 |
| PRICE | € 276,92 |



SELF-LEVELING LASERS - LASERBOX 3 GREEN

Projects: a 360° horizontal plane and one vertical planes at 90° to each other forming one wall crosses Easy ceiling positioning (< 1 cm) Indoor use Automatic laser flashing and audible warning if the device is outside the self-leveling range In ...

| | |
|-------|----------|
| CODE | 61430 |
| PRICE | € 189,00 |





SELF-LEVELING LASERS - LASERBOX 3 RED

Projects: a 360° horizontal plane and one vertical planes at 90° to each other forming one wall crosses Easy ceiling positioning (< 1 cm) Indoor use Automatic laser flashing and audible warning if the device is outside the self-leveling range In ...

| | |
|-------|----------|
| CODE | 61420 |
| PRICE | € 109,00 |





ALUMINUM TRIPOD

Elevation rack with handle and locking screw 3 robust aluminum tubular extensible legs Quick lock lever Opening radially, 3-beam safety Screw 5/8", plate Ø 50 mm Carrying bag Weight: 1.3 Kg

| | |
|-------|---------|
| CODE | 60574 |
| PRICE | € 53,70 |



ALUMINUM TRIPOD

Elevation rack Locking lever Screw 5/8", plate Ø 50 mm Rubber feet Vial for centering Opening radially with 3 safety rays Carrying bag

| | | | |
|-------|---------|---------|----------|
| CODE | 60585 | 60587 | 60588 |
| PRICE | € 64,30 | € 88,20 | € 116,91 |



ALUMINUM TRIPOD RUBBER GRIP

Elevation rack Handle with rear locking lever and frontal security system spring Telescopic rod Opening radially with 3 holding beams Rubber grip Vial for centering Screwable plastic feet for indoor and pointed feet for outdoor use Leg lock lever Scr ...

| | |
|-------|----------|
| CODE | 60586 |
| PRICE | € 116,91 |



FLAT BASE ALUMINUM TRIPOD 104 ÷ 174 CM

3 aluminum tubular robust extensible legs Locking screw Screw 5/8" Shoulder belt Weight: 3.7 Kg

| | |
|-------|---------|
| CODE | 60495 |
| PRICE | € 78,71 |



FLAT BASE TRIPOD

3 aluminum tubular extensible legs Quick lock lever Screw 5/8" Shoulder belt Weight: 3.2 Kg

| | |
|-------|---------|
| CODE | 60498 |
| PRICE | € 62,30 |





LIGHT TRIPOD WITH REMOVABLE SUPPORT AND KNOB

Graduated elevation rack stroke 28 cm Opening radially, 3 safety beams Vial for centering Rubber feet Provided with removable support and knob for DISTO, laser distance meters METRICA FLASH and laser METRICA Bravolaser Steerable and tiltable in all d ...

| | |
|-------|---------|
| CODE | 60590 |
| PRICE | € 27,64 |



WOODEN TRIPOD

Wooden legs and aluminum die-cast parts Locking nut screw Legs with hole for hand carry Closed length: 110 cm Open length: 175 cm Weight: 7.5 Kg

| | |
|-------|----------|
| CODE | 60584 |
| PRICE | € 113,32 |



MOTORIZED TRIPOD 85 - 220 CM

Motorized elevation rack 3 robust aluminium tubular extensible legs Screwable plastic feet for indoor and pointed feet for outdoor use Opening radially with 3 holding beams Leg lock lever Vial for centering Screw 5/8", plate Ø 50 mm Remote cont ...

| | |
|-------|----------|
| CODE | 60565 |
| PRICE | € 304,57 |



MOTORIZED TRIPOD, ROBUST 98 - 200 CM

Motorized elevation rack 3 robust aluminum tubular extensible legs Leg lock lever Vial for centering Screw 5/8", plate Ø 110 mm Remote control with 3 functions: continuous, step-by-step, end limit Range of remote control: 50 m Weight: 5 Kg Clos ...

| | |
|-------|----------|
| CODE | 60566 |
| PRICE | € 405,07 |



STURDY ALUMINIUM TRIPOD WITH HANDLE/HOLDER

Elevation rack, stroke 28 cm Radial opening, 3 safety beams Centering vial Rubber feet With removable button holder for DISTO, METRICA FLASH rangefinder and METRICA Bravolaser Adjustable and tiltable in all directions Screw 1/4" In carrying bag wit ...

| | |
|-------|---------|
| CODE | 60596 |
| PRICE | € 40,50 |





TRIPOD WITH ELEVATION

Professional robust model Graduated elevation rack Locking lever, safety chain Vial for centering
Screw 5/8", plate Ø 110 mm Carrying strap Plastic feet for indoor and pointed feet for outdoor

| | | |
|-------|----------|----------|
| CODE | 60581 | 60582 |
| PRICE | € 106,15 | € 129,23 |





KIT UTILIFINDER + SYSTEM

The UTILIFINDER+ system allows the location (without touching the ground) of gas pipes, water pipes and electrical / telephone cables. Consisting of a sensor "FINDER" and a transmitter "UTILIGEN" Quick and easy to use Large display and acoust ...

| | |
|-------|------------|
| CODE | 61945 |
| PRICE | € 1.155,00 |



UTILIFINDER+

TECHNICAL DATA UTILIFINDER Code 61941 Range 0,3 - 3 m Accuracy 10% Acoustic signal yes Display Backlight yes Batteries 6 x 1,5 AA Battery life 40 hours Weight (without batteries) 2,7 Kg Dust/Waterproofing IP 54

| | |
|-------|----------|
| CODE | 61943 |
| PRICE | € 345,00 |

