



**Mister Worker**<sup>®</sup>  
YOUR PROFESSIONAL TOOLS SUPPLIER

# CATALOG

SEPTEMBER 2020



**TORQUE CONTROL TOOLS**



**ANGLE TORQUE GONIOMETERS**

Angle torque goniometer USAG professional tool Model for use in combination with torque wrenches to accomplish tightenings with angle control Flexible shaft with anchoring magnet Polycarbonate goniometer 2 models available ...

|       |           |           |
|-------|-----------|-----------|
| CODE  | U08300001 | U08300002 |
| PRICE | € 63,00   | € 122,25  |



**ASSORTMENT WITH CROWFOOT WRENCHES IN SHEET STEEL CASE (13 PCS)**

ASSORTMENT WITH CROWFOOT WRENCHES IN SHEET STEEL CASE (13 PCS) Composition: 519 M 612S13V - Empty bi-colour foam module 1 - 257 3/8 - Crow-foot wrenches 9 10-11-12-13-14-17-19-22-24 236 3/8 - Extensions 2 125-250 241 3/8 - Universal joint 1 - 612 M ...

|       |           |
|-------|-----------|
| CODE  | U06120100 |
| PRICE | € 146,37  |



**BIHEXAGONAL RING WRENCHES**

Bi-hexagonal ring wrench USAG professional tool Fitting 9x12 mm 7 models available Hexagonal opening from 8 to 19 mm

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08115105 | U08115107 | U08115109 | U08115110 | U08115111 |
| PRICE | € 32,18   | € 31,58   | € 31,58   | € 31,58   | € 31,58   |
| CODE  | U08115114 | U08115116 |           |           |           |
| PRICE | € 34,43   | € 34,43   |           |           |           |



**BIHEXAGONAL RING WRENCHES**

Bi-hexagonal ring wrench Professional tool Fitting 14x18 mm 6 models available Hexagonal opening from 13 to 24 mm

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08115130 | U08115131 | U08115134 | U08115136 | U08115139 |
| PRICE | € 41,25   | € 41,25   | € 42,38   | € 42,38   | € 42,38   |
| CODE  | U08115141 |           |           |           |           |
| PRICE | € 42,38   |           |           |           |           |





**OPEN JAW WRENCHES**

Open jaw wrench USAG italian quality tool Fitting 9x12 mm 7 models available Hexagonal opening from 8 to 19 mm

|              |           |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>CODE</b>  | U08115005 | U08115007 | U08115009 | U08115010 | U08115011 |
| <b>PRICE</b> | € 32,78   | € 32,78   | € 32,78   | € 32,78   | € 32,78   |
| <b>CODE</b>  | U08115014 | U08115016 |           |           |           |
| <b>PRICE</b> | € 32,78   | € 32,78   |           |           |           |



**OPEN JAW WRENCHES**

Open jaw wrench USAG professional tool Fitting 14x18 mm 6 models available Hexagonal opening from 13 to 24 mm

|              |           |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>CODE</b>  | U08115030 | U08115031 | U08115034 | U08115036 | U08115039 |
| <b>PRICE</b> | € 40,50   | € 40,50   | € 40,50   | € 40,50   | € 40,50   |
| <b>CODE</b>  | U08115041 |           |           |           |           |
| <b>PRICE</b> | € 40,50   |           |           |           |           |



**REVERSIBLE RATCHET**

Reversible ratchet

|              |           |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>CODE</b>  | U08110010 | U08111010 | U08112010 | U08112011 | U08113010 |
| <b>PRICE</b> | € 47,25   | € 51,00   | € 52,88   | € 55,88   | € 112,50  |





**DIGITAL ANGLE METER**

Digital angle meter USAG high-grade tool Correct measurement of the angle in any position For CW and CCW tightening Accuracy:  $\pm 2\%$  Range: 0 - 360° Resolution: 0,1° Visible (LED) and audible (buzzer) indicators when target ...

|       |           |
|-------|-----------|
| CODE  | U08310001 |
| PRICE | € 123,75  |



**ELECTRONIC DIGITAL TORQUE CONTROLLERS**

▪ It allows to check the calibration of clockwise and counterclockwise torque wrenches ▪ Accuracy  $\pm 1\%$  ▪ Measuring unit: Nm, lbf.ft, lbf.in and lbf.in ▪ Measuring mode: peak or follower ▪ Possible presetting of a limit value and tolerance w ...

|       |            |            |            |
|-------|------------|------------|------------|
| CODE  | U08270001  | U08270002  | U08270003  |
| PRICE | € 1.089,00 | € 1.128,00 | € 1.439,25 |



**TORQUE-ANGLE DIGITAL ADAPTER**

USAG Adaptors Torque Angle : USAG 814 A Torque and angle tightening with digital precision using conventional tools. Torque-angle digital adapter For CW and CCW tightening USAG professional tool Made in Italy Quality Technical features: Tor ...

|       |           |           |           |
|-------|-----------|-----------|-----------|
| CODE  | U08140003 | U08140004 | U08140005 |
| PRICE | € 159,00  | € 183,00  | € 222,00  |



**ELECTRONIC TORQUE WRENCHES**



▪ Accuracy  $\pm 2\%$  of the preset torque value between 20% and 100% wrench capacity ▪ Measuring mode: peak or follower ▪ Measuring unit: Nm, lbf.ft, lbf.in and Kg.cm ▪ To be used with 9x12 or 14x18 mm fittings ▪ Numbered wrenches supplied with ...

|              |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|
| <b>CODE</b>  | U08134601 | U08134602 | U08134604 | U08134605 |
| <b>PRICE</b> | € 334,50  | € 342,75  | € 381,00  | € 405,00  |

**ELECTRONIC TORQUE WRENCHES WITH RATCHET**



▪ Accuracy  $\pm 2\%$  of the preset torque value between 20% and 100% wrench capacity ▪ Measuring mode: peak or follower ▪ Measuring unit: Nm, lbf.ft, lbf.in and Kg.cm ▪ To be used with 9x12 or 14x18 mm fittings ▪ Numbered wrenches supplied with ...

|              |           |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>CODE</b>  | U08134701 | U08134702 | U08134703 | U08134704 | U08134705 |
| <b>PRICE</b> | € 373,50  | € 381,00  | € 396,75  | € 428,25  | € 450,75  |



TORQUE WRENCHES WITH DIAL



Torque wrench with dial? USAG high quality tool Dial with dragging needle for storing the torque values reached, or for setting the torque value Precision  $\pm 4\%$  of the preset torque value Dual and opposed Nm and ft.lbs readings for cl ...

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08230101 | U08230102 | U08230103 | U08230104 | U08230105 |
| PRICE | € 261,75  | € 275,25  | € 306,00  | € 372,75  | € 818,25  |



### HANDLE

▪ Telescopic handle that gives up to 3 m leverage including length of wrench ▪ To be used with torque wrench U08124603 (500-2.500 Nm) ▪ Supplied with fasteners



|       |           |
|-------|-----------|
| CODE  | U08124805 |
| PRICE | € 311,25  |

### HIGH-TORQUE WRENCHES WITH RATCHET AND SQUARE DRIVE

▪ Accuracy  $\pm 4\%$  of the preset torque value ▪ Two reading scales: Nm and lbf.ft ▪ Large size dial ▪ Light alarm when reaching the preset torque value ▪ Cylindrical attachment diameter 30 mm ▪ Numbered wrenches supplied with ISO 6789 calibr ...



|       |            |            |            |
|-------|------------|------------|------------|
| CODE  | U08124801  | U08124802  | U08124803  |
| PRICE | € 1.162,50 | € 1.323,00 | € 1.944,75 |

### HIGH-TORQUE WRENCHES WITH SQUARE DRIVE

Accuracy  $\pm 4\%$  of the preset torque value Two reading scales: Nm and lbf.ft Large size dial Light alarm when reaching the preset torque value Cylindrical attachment diameter 30 mm Numbered wrenches supplied with ISO 6789 calibration certificate Suppli ...



|       |            |            |            |
|-------|------------|------------|------------|
| CODE  | U08124701  | U08124702  | U08124703  |
| PRICE | € 1.050,00 | € 1.200,00 | € 1.751,25 |

### HIGH-TORQUE WRENCHES WITHOUT ACCESSORIES

Accuracy  $\pm 4\%$  of the preset torque value Two reading scales: Nm and lbf.ft Large size dial Light alarm when reaching the preset torque value Cylindrical attachment diameter 30 mm Numbered wrenches supplied with ISO 6789 calibration certificate



|       |           |           |            |
|-------|-----------|-----------|------------|
| CODE  | U08124601 | U08124602 | U08124603  |
| PRICE | € 776,25  | € 930,00  | € 1.477,50 |

### TORQUE MULTIPLIER

Torque multiplier Professional tool For tightening torque Light compact model for use in maintenance of industrial vehicles, agricultural machinery and earth-moving equipment Supplied in nylon bag with safety lever and test certificat ...



|       |           |
|-------|-----------|
| CODE  | U08280401 |
| PRICE | € 563,25  |



**TORQUE MULTIPLIERS**

Torque multiplier Professional tool For tightening torque Ratchet model with inversion lever for clockwise and counterclockwise tightening Non-return safety system for maintaining multiplier tension, thus avoiding dangerous returns at ...

|       |            |
|-------|------------|
| CODE  | U08280001  |
| PRICE | € 3.528,38 |



**TORQUE MULTIPLIERS**

Torque multiplier Professional tool For tightening torque Ratchet model with inversion lever for clockwise and counterclockwise tightening Non-return safety system for maintaining multiplier tension, thus avoiding dangerous returns at ...

|       |            |
|-------|------------|
| CODE  | U08280002  |
| PRICE | € 4.057,88 |





**"NON VERNIER" ADJUSTABLE CLICK TORQUE WRENCHES**



Accuracy  $\pm 4\%$  of the preset torque value Reliability of mechanism: 100.000 cycles Torque adjustment with a key on a control bench (see torque controllers range) Wrenches supplied with ISO 6789 calibration certificate The wrenches can be preset and us ...

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08114621 | U08114622 | U08114623 | U08114625 | U08114626 |
| PRICE | € 171,00  | € 156,00  | € 163,50  | € 171,00  | € 178,50  |
| CODE  | U08114627 |           |           |           |           |
| PRICE | € 210,00  |           |           |           |           |

**"NON VERNIER" WIDE ANGLE ADJUSTABLE TORQUE WRENCHES**



Accuracy  $\pm 8\%$  of the preset torque value Reliability of mechanism: 50.000 cycles Torque adjustment with a key on a control bench (see torque controllers range) Numbered wrenches supplied with ISO 6789 calibration certificate Supplied with a protective plastic tube

|       |           |           |           |
|-------|-----------|-----------|-----------|
| CODE  | U08114632 | U08114633 | U08114635 |
| PRICE | € 244,50  | € 256,50  | € 271,50  |

**ASSORTMENT WITH TORQUE WRENCH IN SHEET STEEL CASE (12 PCS.)**



Composition Article Pieces Measures 235 1/2 EN - Hexagonal sockets 7 10-13-14-17-19-22-24 811 E - Reversible ratchet with 72 teeth 1 1/2 811 N - Torque rod 1 40-200 612 XL - Sheet steel box (empty) - size XL 1 - 811 G - Open jaw wrenches 5 13-17- ...

|       |           |
|-------|-----------|
| CODE  | U08112004 |
| PRICE | € 691,19  |

**ASSORTMENT WITH TORQUE WRENCH IN SHEET STEEL CASE (7 PCS.)**



Composition Article Pieces Measures 811 E - Reversible ratchet with 72 teeth 1 1/2 811 N - Torque rod 1 40-200 519 M 811NDV - Empty bi-colour foam module 1 - 612 XL - Sheet steel box (empty) - size XL 1 - 811 G - Open jaw wrenches 5 13-17-19-22-2 ...

|       |           |
|-------|-----------|
| CODE  | U08112005 |
| PRICE | € 440,78  |



**ASSORTMENT WITH TORQUE WRENCH IN SHEET STEEL CASE (7 PCS.)**

Composition Article Pieces Measures 811 E - Reversible ratchet with 72 teeth 1 1/2 811 N - Torque rod 1 40-200 519 M 811NDV - Empty bi-colour foam module 1 - 612 XL - Sheet steel box (empty) - size XL 1 - 811 K - Bihexagonal ring wrenches 5 13-17 ...

|       |           |
|-------|-----------|
| CODE  | U08112006 |
| PRICE | € 449,03  |

**REVERSIBLE RATCHET**



Reversible ratchet for 812 N 1000

|       |            |
|-------|------------|
| CODE  | U08120010Q |
| PRICE | € 121,50   |

**CLICK TORQUE WRENCHES WITH DUAL LBF.IN OR LBF.FT AND NM GRADUATION**



Model with 72 teeth and an angle of action of 5° Accuracy ±2% of the preset torque value Reliability of mechanism: 50.000 cycles Dual lbf.in or lbf.ft and Nm graduation Reversible ratchet To be used with 9x12 or 14x18 mm fittings Full metal wrenche ...

|       |           |           |           |
|-------|-----------|-----------|-----------|
| CODE  | U08114618 | U08114619 | U08114620 |
| PRICE | € 225,75  | € 241,50  | € 256,50  |

**CLICK TORQUE WRENCHES WITH REMOVABLE RATCHET**



Accuracy ±2% of the preset torque value except U08114612 (±4%) and U08114611 (±6%) Reliability of mechanism: 50.000 cycles (wrenches up to 200 Nm) One-way wrenches usable for unscrewing by reversing the accessories To be used with 9x12 or 14x18 mm ...

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08114611 | U08114612 | U08114613 | U08114614 | U08114615 |
| PRICE | € 271,50  | € 271,50  | € 288,00  | € 341,25  | € 341,25  |

|       |           |           |
|-------|-----------|-----------|
| CODE  | U08114616 | U08114617 |
| PRICE | € 350,25  | € 388,50  |



**CLICK TORQUE WRENCHES WITHOUT ACCESSORIES**



Accuracy  $\pm 2\%$  of the preset torque value except U08114602 ( $\pm 4\%$ ) and U08114601 ( $\pm 6\%$ )  
Reliability of mechanism: 50.000 cycles (wrenches up to 200 Nm) One-way wrenches usable for unscrewing by reversing the accessories To be used with 9x12 or 14x18 mm ...

|              |           |           |           |           |           |
|--------------|-----------|-----------|-----------|-----------|-----------|
| <b>CODE</b>  | U08114601 | U08114602 | U08114603 | U08114605 | U08114606 |
| <b>PRICE</b> | € 217,50  | € 217,50  | € 217,50  | € 233,25  | € 233,25  |
| <b>CODE</b>  | U08114607 |           |           |           |           |
| <b>PRICE</b> | € 272,25  |           |           |           |           |

**MANUAL CLICK WRENCHES WITH REMOVABLE RATCHET**



Accuracy  $\pm 6\%$  of the preset torque value Graduated in daNm Supplied in a plastic case with ISO 6789 calibration certificate

|              |           |           |
|--------------|-----------|-----------|
| <b>CODE</b>  | U08114933 | U08114935 |
| <b>PRICE</b> | € 232,50  | € 233,25  |

**MANUAL RESET WRENCHES**



Accuracy  $\pm 6\%$  of the preset torque value Wrench U08114732, graduated in Nm with fixed square drive 1/4" Wrench U08114733-U08114735, graduated in daNm Numbered wrenches supplied with ISO 6789 calibration certificate Supplied in a plastic case

|              |           |           |           |
|--------------|-----------|-----------|-----------|
| <b>CODE</b>  | U08114732 | U08114733 | U08114735 |
| <b>PRICE</b> | € 171,00  | € 186,00  | € 186,00  |

**MANUAL RESET WRENCHES WITH REMOVABLE SQUARE DRIVE**



Accuracy  $\pm 6\%$  of the preset torque value Wrench U08114832, graduated in Nm with fixed square drive Wrench U08114833-U08114835, graduated in daNm Numbered wrenches supplied with ISO 6789 calibration certificate Supplied in a plastic case

|              |           |           |           |
|--------------|-----------|-----------|-----------|
| <b>CODE</b>  | U08114832 | U08114833 | U08114835 |
| <b>PRICE</b> | € 195,00  | € 217,50  | € 220,50  |

**TORQUE WRENCHES**



Torque wrench USAG italian quality tool Adjustable torque model for use in combination with fittings from the 811-series For clockwise and counterclockwise tightening by turning the fittings 180° 9x12 or 14x18 mm fittings Precision ± 4% ...

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08114001 | U08114002 | U08114003 | U08114004 | U08114005 |
| PRICE | € 129,00  | € 128,25  | € 129,00  | € 137,25  | € 150,00  |
| CODE  | u08114000 |           |           |           |           |
| PRICE | € 129,75  |           |           |           |           |

**TORQUE WRENCHES WITH REMOVABLE REVERSIBLE RATCHET**



Adjustable torque model for use in combination with fittings from the 811-series For clockwise and counterclockwise tightening by turning the fittings 180° 9x12 or 14x18 mm fittings Accuracy ± 4% of the preset torque value Readings in Nm ...

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08114010 | U08114011 | U08114012 | U08114013 | U08114014 |
| PRICE | € 176,25  | € 179,25  | € 180,00  | € 181,88  | € 193,13  |
| CODE  | U08114015 | u08114009 |           |           |           |
| PRICE | € 205,88  | € 173,25  |           |           |           |

**TORQUE WRENCHES WITH REVERSIBLE RATCHET**



USAG Release Torque Wrenches : USAG 810 N Torque Wrenches with reversible ratchet Adjustable torque model for clockwise tightening Accuracy ± 4% of the preset torque value Readings in Nm Sensible and audible alarm on reaching preset torque value ...

|       |           |           |           |           |           |
|-------|-----------|-----------|-----------|-----------|-----------|
| CODE  | U08104001 | U08104002 | U08104003 | U08104005 | U08104006 |
| PRICE | € 127,00  | € 127,00  | € 127,00  | € 127,00  | € 149,00  |
| CODE  | U08104000 |           |           |           |           |
| PRICE | € 126,00  |           |           |           |           |

**TORQUE WRENCHES WITH REVERSIBLE RATCHET**



Torque wrench with reversible ratchet USAG professional tool Adjustable torque model for clockwise and counterclockwise tightening by turning the ratchet 180° Precision ± 4% of the preset torque value Readings in Nm Sensible and ...

|       |           |           |
|-------|-----------|-----------|
| CODE  | U08120006 | U08120010 |
| PRICE | € 629,00  | € 789,00  |



TORQUE WRENCHES WITH REVERSIBLE RATCHET AND HINGED JOINTED HEAD



Hinged jointed head to work in narrow spaces Inclination  $\pm 20^\circ$  When the wrench is used to  $\pm 20^\circ$  the torque must be set with an increase of  $\pm 5\%$  (Example: necessary torque 90 Nm - Torque for inclined application 94,5 Nm) Adjustable model for ...

|       |           |           |
|-------|-----------|-----------|
| CODE  | U08104013 | U08104015 |
| PRICE | € 135,00  | € 135,00  |



**BASIC KIT FOR REPLACEMENT OF CUTTING PLATES (11 PCS.)**



Allows to replace the cutting plates with TORX®, TORX PLUS® screws from 15 to 25 and 3,4,5 mm hexagonal screws The correct tightening prevents damage to the screw and guarantees longer duration of cutting inserts Assortment supplied in ABS bo ...

|       |           |
|-------|-----------|
| CODE  | U08240009 |
| PRICE | € 165,75  |

**BASIC KIT FOR REPLACEMENT OF CUTTING PLATES (13 PCS.)**



Allows to replace the cutting plates with TORX®, TORX PLUS® screws from 6 to 10 and 2 mm hexagonal screws The correct tightening prevents damage to the screw and guarantees longer duration of cutting inserts Assortment supplied in ABS box T ...

|       |           |
|-------|-----------|
| CODE  | U08240008 |
| PRICE | € 165,75  |

**PRODUCTION TORQUE SCREWDRIVERS WITH FIX TORQUE**



Production torque screwdrivers, ideal when the same tightening values must be repeated The desired torque must be pre-set on a control bench To be used in conjunction with the 660 series inserts or, with a of connection, to the 1/4" sockets, manual s ...

|       |           |           |
|-------|-----------|-----------|
| CODE  | U08240011 | U08240012 |
| PRICE | € 186,75  | € 195,00  |

**PRODUCTION TORQUE SCREWDRIVERS WITH FIX TORQUE**



Production torque screwdrivers, ideal when the same tightening values must be repeated The desired torque must be pre-set on a control bench To be used in conjunction with the 660 series inserts or, with a of connection, to the 1/4" sockets, manual s ...

|       |           |           |
|-------|-----------|-----------|
| CODE  | U08240021 | U08240022 |
| PRICE | € 171,00  | € 178,50  |

**RATCHET HANDLE FOR TORQUE SCREWDRIVERS**



For quick-action use of torque screwdrivers Can be used with torque screwdrivers USAG 824 A and 824 B2

|       |           |
|-------|-----------|
| CODE  | U08240025 |
| PRICE | € 31,13   |



TORQUE SCREWDRIVER FOR MICROMECHANICS



Adjustable torque model for clockwise tightening, for use in combination with bits from the 660 series or, using an adapter, with sockets from the 1/4" manual series Accuracy  $\pm 6\%$  of the preset torque value Readings in Ncm Automatic disengagement on ...

|       |           |
|-------|-----------|
| CODE  | U08240005 |
| PRICE | € 202,50  |

TORQUE SCREWDRIVERS



Torque screwdriver USAG italian quality tool Adjustable torque model for clockwise tightening, for use in combination with bits from the 660 series or, using an adapter, with sockets from the 1/4" manual series Precision  $\pm 6\%$  of the pre ...

|       |           |           |
|-------|-----------|-----------|
| CODE  | U08240004 | U08240006 |
| PRICE | € 137,00  | € 137,00  |

TORQUE SCREWDRIVERS FOR MICROMECHANICS



Torque screwdriver for micromechanics? Professional tool Adjustable torque model for clockwise tightening, for use in combination with bits from the 660 series or, using an adapter, with sockets from the 1/4" manual series Precision  $\pm 6\%$  ...

|       |           |
|-------|-----------|
| CODE  | U08240003 |
| PRICE | € 229,20  |

UNIVERSAL KIT FOR REPLACEMENT OF CUTTING PLATES (23 PCS.)



Allows to replace the cutting plates used on rotary tools of milling machines Contains 2 adjustable torque screwdrivers to optimize torque setting Contains all the dimensions of inserts TORX®, TORX PLUS® and hexagonal necessary to replace ins ...

|       |           |
|-------|-----------|
| CODE  | U08240007 |
| PRICE | € 290,00  |