



Mister Worker[®]
YOUR PROFESSIONAL TOOLS SUPPLIER

CATALOG

SEPTEMBER 2019



EXPERT
by FACOM

AIR TOOLS



1/4" COLLET ANGLE GRINDER

- Idle speed: 20,000 rpm. - Soft control trigger for improved speed control. - Hose diameter: 3/8"- 10 mm. - Tool connection: 1/4". - Power: 0.25 kW.

CODE	E230503
PRICE	€ 92,29



1/4" STRAIGHT GRINDER

- Idle speed: 25,000 rpm. - Soft control trigger for improved speed control. - Hose diameter: 3/8"- 10 mm. - Tool connection: 1/4". - Power: 0.3 kW.

CODE	E230502
PRICE	€ 40,80



125 MM GRINDER

- No load speed: 11000 rpm. - Safety trigger. - Power: 0.75 kW. - Pipe diameter: 3/8 "- 10 mm. - Tool connection: 1/4 ".

CODE	E230508
PRICE	€ 239,37





3/8" REVERSIBLE DRILLS

- Fast tightening chuck. - Chuck capacity: 3/8"- 10 mm. - Idle speed: 1,800 rpm. - Power: 0.3 kW. - Hose diameter: 3/8"- 10 mm. - Tool connection: 1/4".

CODE	E230402
PRICE	€ 79,10





1" GUN IMPACT WRENCH.

- Pinless rocking dog durable impact mechanism. - Torque: 2170 N.m at loosening. - Side exhaust. - Soft control trigger. - Easy access reverser with 3 tightening strengths. - Hose diameter: 3/4"- 19 mm. - Tool connection: 1/2".

CODE	E230120
PRICE	€ 555,00



1" IMPACT WRENCHES

- Pinless rocking dog durable impact mechanism. - Torque: 2170 N.m at untightening. - Rubber coated grip. - Soft control trigger. - Power setting: 3. - Connection threading: 1/2". - Hose: 3/4"- 19 mm.

CODE	E230125
PRICE	€ 648,90



1" LONG PIN IMPACT WRENCH.

Pinless rocking dog durable impact mechanism. - Torque: 2170 N.m at loosening. - Side exhaust. - Soft control trigger. - Easy access reverser with 3 tightening strengths. - 3/4" connection thread (19 mm).

CODE	E230126
PRICE	€ 648,18



1/2" COMPACT IMPACT WRENCH

- Compact design for access in confined spaces. - Torque: 678 N.m at untightening. - Rubber coated grip. - Soft control trigger. - Power setting: 3. - Connection threading: 1/4". - Hose : 3/8"- 10 mm.

CODE	E230104
PRICE	€ 144,00



1/2" IMPACT WRENCH

- Double hammer impact mechanism. - Torque: 814 N.m at untightening. - Rubber coated grip. - Soft control trigger. - Power setting: 5. - Connection threading: 1/4". - Hose: 3/8"- 10 mm.

CODE	E230110
PRICE	€ 170,50



3/4" IMPACT WRENCH 1400 N.M

- Durable double hammer impact mechanism. - Torque: 1400 N.m at loosening. - The rubber grip sheath allows for comfortable work, insulated from the cold. - Exhaust through the handle. - Soft control trigger. - Easy access reverser with 3 tightening s ...

CODE	E230116
PRICE	€ 320,50



3/4" IMPACT WRENCHES 1017 N.M

- Double hammer impact mechanism. - Torque: 1,017 N.m at untightening. - Rubber coated grip. - Soft control trigger. - Power setting: 5. - Connection threading: 1/4". - Hose: 3/8"- 10 mm.

CODE	E230115
PRICE	€ 400,88



MAGNETIC HOLDER FOR 1/2" IMPACT WRENCHES

- 4 hooks to fit sockets up to 1/2" square. - Ring for impact wrench. - Holder for torque wrench or ratchet.

CODE	E231015
PRICE	€ 34,39

1/2" PNEUMATIC RATCHET



- Heavy duty mechanism for daily use. - Idle speed: 150 rpm. - Maximum torque: 68 N.m. - Side exhaust. - Easy ratchet head reversing. - Hose diameter: 3/8"- 10 mm. - Tool connection: 1/4".

CODE	E230204
PRICE	€ 115,50

1/4" "MINI" PNEUMATIC RATCHET



- Compact design to work in a cluttered environment. - Idle speed: 250 rpm. - Maximum torque: 27 N.m. - Side exhaust. - Easy ratchet head reversing. - Hose diameter: 1/4"- 6 mm. - Tool connection: 1/4".

CODE	E230201
PRICE	€ 97,34

3/8" PNEUMATIC RATCHET



- Heavy duty mechanism for daily use. - Idle speed: 150 rpm. - Maximum torque: 68 N.m. - Side exhaust. - Easy ratchet head reversing. - Hose diameter: 3/8"- 10 mm. - Tool connection: 1/4".

CODE	E230203
PRICE	€ 120,41

3/8" "MINI" PNEUMATIC RATCHET



- Compact design to work in a cluttered environment. - Idle speed: 250 rpm. - Maximum torque: 54 N.m. - Side exhaust. - Easy ratchet head reversing. - Hose diameter: 1/4"- 6 mm. - Tool connection: 1/4".

CODE	E230202
PRICE	€ 104,55



PNEUMATIC RIVETER

- For 2.4-3.2-4.0-4.8 mm rivets. - For use with steel, aluminium, copper or other soft materials.
- Traction strength: 9 kN. - Wide trigger for easier use. - Tool travel: 14 mm. - Hose diameter: 3/8"-10 mm. - Tool connection: 1/4".

CODE	E230901
PRICE	€ 123,29





ORBITAL SANDER 15 MM 5 MM

- No-load speed: 10,000 rpm. - Variable speed trigger. - Exhaust air rotating through 360 ° -
Pipe diameter: 3/8 "- 10 mm. - Tool connection: 1/4 "- Idle speed : 10 000 rpm.

CODE	E230603
PRICE	€ 180,97

