



Mister Worker[®]
YOUR PROFESSIONAL TOOLS SUPPLIER

CATALOG

FEBRUARY 2019



AUTOMATIC HOSE REELS FIXED-SWIVELLING



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 300

Equipped with: - Polyurethane blue hose 11+1,5 m - \varnothing 8x12 Inlet-outlet F1/4"G - M1/4"G swiv. - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
 DIMENSIONS ...

CODE	074-4301-211
PRICE	€ 181,19



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500 WITH HOSE 10 M Ø 1/2"

Equipped with: - Syntetic black rubber hose R6 10 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
 DIMENSIONS ...

CODE	074-4502-410
PRICE	€ 313,53



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Syntetic black rubber hose R6 10 m - \varnothing 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
 DIMENSIONS ...

CODE	074-4502-310
PRICE	€ 297,29



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500 WITH HOSE 12 M Ø 5/16"

Equipped with: - Syntetic black rubber hose R6 12 m - \varnothing 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
 DIMENSIONS ...

CODE	074-4502-212
PRICE	€ 301,13



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500 WITH HOSE 15 M Ø 1/2"

Equipped with: - Syntethic black rubber hose R6 15 m - ϕ 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-415
PRICE	€ 339,83



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500 WITH HOSE 18 M Ø 1/2"

Equipped with: - Syntethic black rubber hose R6 18 m - ϕ 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-418
PRICE	€ 356,06



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500 WITH HOSE 18 M Ø 3/8"

Equipped with: - Syntethic black rubber hose R6 18 m - ϕ 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-318
PRICE	€ 331,34



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500 WITH HOSE 18 M Ø 5/16"

Equipped with: - Syntethic black rubber hose R6 18 m - ϕ 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-218
PRICE	€ 322,84



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET F3/8\"G M3/8\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8\"G - M3/8\"G OVERALL DIMENSIONS

CODE	074-4502-300
PRICE	€ 226,80



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET M1/2\"G M1/2\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2\"G - M1/2\"G OVERALL DIMENSIONS

CODE	074-4502-400
PRICE	€ 229,13



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN
20 BAR MOD. CF 500 WITH HOSE 10 M Ø 1/2\"**

Equipped with: - Antistatic black rubber hose EPDM 10 m - ø 1/2\" Inlet-outlet M1/2\"G - M1/2\"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	074-4509-410
PRICE	€ 455,18



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN
20 BAR MOD. CF 500 WITH HOSE 15 M Ø 1/2\"**

Equipped with: - Antistatic black rubber hose EPDM 15 m - ø 1/2\" Inlet-outlet M1/2\"G - M1/2\"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	074-4509-415
PRICE	€ 488,48



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN
20 BAR MOD. CF 500 WITHOUT HOSE**

Equipped with: - Stainless steel swivelling joint 90° AISI 316 - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-4509-400
PRICE	€ 264,00



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 10 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - Ø 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	074-4507-110
PRICE	€ 312,77



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - Ø 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	074-4507-310
PRICE	€ 336,75



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 15 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 15 m - Ø 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	074-4507-115
PRICE	€ 339,83



CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 15 M Ø 3/8"

Equipped with: - Synthetic black rubber hose 2SC 15 m - \varnothing 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-315
PRICE	€ 378,53



CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 18 M Ø 1/4"

Equipped with: - Synthetic black rubber hose 2SC 18 m - \varnothing 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-118
PRICE	€ 357,64



CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET M1/4"G M1/4"G

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/4"G - M1/4"G OVERALL DIMENSIONS

CODE	074-4507-200
PRICE	€ 237,70



CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET M3/8"G M3/8"G

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-4507-300
PRICE	€ 238,45





**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH
HOSE 10 M Ø 1/2"**

Equipped with: - Syntetic black rubber hose 1SC 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-410
PRICE	€ 317,36



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH
HOSE 15 M Ø 1/2"**

Equipped with: - Syntetic black rubber hose 1SC 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-415
PRICE	€ 356,89



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH
HOSE 18 M Ø 1/2"**

Equipped with: - Syntetic black rubber hose 1SC 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-418
PRICE	€ 371,54



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500
WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-4506-400
PRICE	€ 229,13



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-310
PRICE	€ 341,41



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 10 M Ø 5/16"

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-210
PRICE	€ 336,00



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-315
PRICE	€ 376,20



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 15 M Ø 5/16"

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-215
PRICE	€ 368,46



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 18 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 1SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-318
PRICE	€ 397,09



CLOSED HOSE REEL FIXED FOR WATER 150° C 200/400 BAR MOD. CF 500 WITHOUT HOSE

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-4505-300
PRICE	€ 257,76



CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4505-310
PRICE	€ 345,41



CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 2SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4505-315
PRICE	€ 422,64



CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 18 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 2SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4505-318
PRICE	€ 452,10



CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 300

Equipped with: - Polyurethane blue hose 11+1,5 m - ø 8x12 Inlet-outlet F1/4"G - M1/4"G swiv. - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4301-211
PRICE	€ 189,68



CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 500 WITH HOSE 10 M Ø 1/2"

Equipped with: - Synthetic black rubber hose R6 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4502-410
PRICE	€ 325,10



CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Synthetic black rubber hose R6 10 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4502-310
PRICE	€ 308,87



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 12 M Ø 5/16"**

Equipped with: - Syntethic black rubber hose R6 12 m - \varnothing 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-212
PRICE	€ 313,53



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 15 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-415
PRICE	€ 351,48



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 18 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 18 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-418
PRICE	€ 367,71



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 18 m - \varnothing 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-318
PRICE	€ 343,74





CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 500 WITH HOSE 18 M Ø 5/16"

Equipped with: - Syntethic black rubber hose R6 18 m - ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-218
PRICE	€ 335,17



CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 500 WITHOUT HOSE INLET OUTLET F3/8"G M3/8"G

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-4502-300
PRICE	€ 239,20



CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 500 WITHOUT HOSE INLET OUTLET M1/2"G M1/2"G

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	075-4502-400
PRICE	€ 241,53



CLOSED HOSE REEL SWIVELLING FOR ANTIFREEZE AND WINDSCREEN 20 BAR MOD. CS 500 WITH HOSE 10 M Ø 1/2"

Equipped with: - Antistatic black rubber hose EPDM 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4509-410
PRICE	€ 466,76





**CLOSED HOSE REEL SWIVELLING FOR ANTIFREEZE AND
WINDSCREEN 20 BAR MOD. CS 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Antistatic black rubber hose EPDM 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G
- Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4509-415
PRICE	€ 500,87



**CLOSED HOSE REEL SWIVELLING FOR ANTIFREZZE AND
WINDSCREEN 20 BAR MOD. CS 500 WITHOUT HOSE**

Equipped with: - Stainless steel swivelling joint 90° AISI 316 - Viton seals Inlet-outlet M1/2"G -
M1/2"G OVERALL DIMENSIONS

CODE	075-4509-400
PRICE	€ 276,40



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITH HOSE 10 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 1/4" Inlet-outlet M1/4"G - M1/4"G -
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL
DIMENSIONS ...

CODE	075-4507-110
PRICE	€ 324,35



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - M3/8"G -
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL
DIMENSIONS ...

CODE	075-4507-310
PRICE	€ 348,32





**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITH HOSE 15 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 15 m - ϕ 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-115
PRICE	€ 351,48



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 15 m - ϕ 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-315
PRICE	€ 390,18



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITH HOSE 18 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 18 m - ϕ 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-118
PRICE	€ 369,29



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-4507-300
PRICE	€ 250,02





CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS 500 WITHOUT HOSE INLET OUTLET M1/4"G M1/4"G

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/4"G - M1/4"G OVERALL DIMENSIONS

CODE	075-4507-200
PRICE	€ 249,27



CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500 WITH HOSE 10 M Ø 1/2"

Equipped with: - Syntethic black rubber hose 1SC 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	075-4506-410
PRICE	€ 329,01



CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500 WITH HOSE 15 M Ø 1/2"

Equipped with: - Syntethic black rubber hose 1SC 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	075-4506-415
PRICE	€ 368,46



CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500 WITH HOSE 18 M Ø 1/2"

Equipped with: - Syntethic black rubber hose 1SC 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	075-4506-418
PRICE	€ 353,23



**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500
WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/2"G -
M1/2"G OVERALL DIMENSIONS

CODE	075-4506-400
PRICE	€ 241,53



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 3/8" Inlet-outlet M3/8"G -
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4504-310
PRICE	€ 353,81



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 10 M Ø 5/16"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 5/16" Inlet-outlet M3/8"G -
M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4504-210
PRICE	€ 347,57



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 15C 15 m - ø 3/8" Inlet-outlet M3/8"G -
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4504-315
PRICE	€ 387,85



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Syntethic rubber hose no trace blue 15C 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4504-215
PRICE	€ 380,86



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 15C 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4504-318
PRICE	€ 408,74



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200/400
BAR MOD. CS 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-4505-300
PRICE	€ 269,41



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR
MOD. CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 25C 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-4505-310
PRICE	€ 387,02



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR
 MOD. CS 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntetic rubber hose no trace blue 2SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 OVERALL DIMENSIONS ...

CODE	075-4505-315
PRICE	€ 400,24



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR
 MOD. CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntetic rubber hose no trace blue 2SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 OVERALL DIMENSIONS ...

CODE	075-4505-318
PRICE	€ 464,43



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
 WATER 20 BAR MOD. CFX 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Syntetic black rubber hose R6 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals
 OVERALL DIMENSIONS ...

CODE	074-5502-410
PRICE	€ 496,22



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
 WATER 20 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntetic black rubber hose R6 10 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals
 OVERALL DIMENSIONS ...

CODE	074-5502-310
PRICE	€ 479,91



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 12 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 12 m - Ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-212
PRICE	€ 483,82



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 15 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-415
PRICE	€ 522,52



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 18 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-418
PRICE	€ 538,75



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose R6 18 m - Ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-318
PRICE	€ 514,78





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 18 m - ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL DIMENSIONS ...

CODE	074-5502-218
PRICE	€ 505,46



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITHOUT HOSE INLET OUTLET
F3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-5502-300
PRICE	€ 409,49



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITHOUT HOSE INLET OUTLET
M1/2"G M1/2"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-5502-400
PRICE	€ 411,82



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE**

Equipped with: - Synthetic rubber hose no trace blue 15C 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals OVERALL DIMENSIONS ...

CODE	074-5504-318
PRICE	€ 582,11



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5504-310
PRICE	€ 526,35



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 10 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5504-210
PRICE	€ 520,94



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5504-315
PRICE	€ 561,22



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5504-215
PRICE	€ 554,23



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200/400 BAR MOD. CFX 500 WITHOUT HOSE
INLET OUTLET M3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G -
M3/8"G OVERALL DIMENSIONS

CODE	074-5505-300
PRICE	€ 442,78



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G -
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5505-310
PRICE	€ 560,47



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 15 m - ø 3/8" Inlet-outlet M3/8"G -
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5505-315
PRICE	€ 559,05



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 18 m - ø 3/8" Inlet-outlet M3/8"G -
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5505-318
PRICE	€ 637,87





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE**

Equipped with: - Synthetic black rubber hose R6 18 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-418
PRICE	€ 560,47



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 10 M \varnothing 1/2"**

Equipped with: - Synthetic black rubber hose R6 10 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-410
PRICE	€ 517,86



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 10 M \varnothing 3/8"**

Equipped with: - Synthetic black rubber hose R6 10 m - \varnothing 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-310
PRICE	€ 501,63



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 12 M \varnothing 5/16"**

Equipped with: - Synthetic black rubber hose R6 12 m - \varnothing 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-212
PRICE	€ 505,46





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 15 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-415
PRICE	€ 544,16



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose R6 18 m - Ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-318
PRICE	€ 536,42



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 18 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 18 m - Ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-218
PRICE	€ 527,18



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	075-5502-400
PRICE	€ 434,29



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITHOUT HOSE INLET
OUTLET F3/8\"G M3/8\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8\"G -
M3/8\"G OVERALL DIMENSIONS

CODE	075-5502-300
PRICE	€ 431,21



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE**

Equipped with: - Syntethic rubber hose no trace blue 15C 18 m - ø 3/8\" Inlet-outlet M3/8\"G -
F3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-5504-318
PRICE	€ 603,76



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 10 M Ø 3/8\"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 3/8\" Inlet-outlet M3/8\"G -
F3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-5504-310
PRICE	€ 548,07



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 10 M Ø 5/16\"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 5/16\" Inlet-outlet M3/8\"G -
M3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	075-5504-210
PRICE	€ 499,25



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5504-315
PRICE	€ 582,86



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5504-215
PRICE	€ 575,95



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 200/400 BAR MOD. CSX 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-5505-300
PRICE	€ 464,43



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-310
PRICE	€ 582,11



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 15 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-315
PRICE	€ 629,31



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 18 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-318
PRICE	€ 659,52