



Mister Worker[®]
YOUR PROFESSIONAL TOOLS SUPPLIER

CATALOG

SEPTEMBER 2019



SPECIAL OFFERS

4 JAWS FITTING

4-jaws fitting 10x1 mm thread



CODE	017-1157-000
PRICE	€ 2,07

5 M RILSAN SPRING HOSE

5 m RILSAN spring hose 1/4 "M bayonet fitting connection



CODE	063-1596-000
PRICE	€ 12,86

50 L PNEUMATIC OIL DISPENSER DROP VALVE Ø12 MM

50 l pneumatic oil dispenser Equipped with: Tank capacity 50 l(with level indicator) Delivery hose: spring PU 3 m length Oil dispensing nozzle with flexible Drop valve Ø12 mm Filling drum funnel
 Advised for the filling and maintenance of oil. The ta ...



CODE	027-1310-000
PRICE	€ 212,95

ADBLUE TANK 220 12V + FLOW METER

Rigid polyethylene tank for AdBlue transport for non-commercial use, with built-in transfer unit consisting of rotary vane self-priming pump available in various voltages (12-24V), delivery hose ø 19 mm, 4.5 m long and automatic nozzle. The system ...



CODE	097-6221-012
PRICE	€ 1.087,47

AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. A55 IN ALUMINIUM GASKET IN PTFE

Meclube Model A55 in aluminium Compression ratio: 1:1 Max flow-rate: 55 l/min Fluid connections: 1/2" BSP Fluids compatible: hydrocarbons - vinyl glue - solvents Gasket: ptfе Air operated double diaphragm pumps have long been recognized as the most f ...



CODE	028-A055-AB3
PRICE	€ 363,94



AIR WATER 20BAR Ø 1/2" LENGTH 15M

Polyurethane blue hose Connection nichel-plated brass Inlet-Outlet F1/2"G - M1/2"G
Dimensions 13X19

CODE	901-0404-150
PRICE	€ 97,62



AIR WATER 20BAR Ø 3/4* LENGTH 15M

Synthetic black rubber hose R6 Galvanized connection Inlet-Outlet F3/4"G - M3/4"G Dimensions
19X25,8

CODE	902-0505-150
PRICE	€ 136,75



DIESEL HOSE 10BAR Ø 1" LENGTH 15M

Antistatic black rubber hose Galvanized connections Inlet-Outlet F1"G - M 1"G Dimensions
25X35

CODE	908-0606-150
PRICE	€ 175,96



AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. A700 IN ALUMINIUM GASKET IN VITON

Meclube Model A700 in aluminium Compression ratio: 1:1 Max flow-rate: 700 l/min Fluid connections: 2" BSP Fluids compatible: water - anti-freeze - windscreen - AdBlue Gasket: viton Air operated double diaphragm pumps have long been recognized as the ...

CODE	028-A700-AB2
PRICE	€ 1.455,63





AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. FOOD SS550 IN STAINLESS STEEL SS AISI 316 BALLS IN SS AISI 316

Meclube Model Food SS550 in stainless steel ss aisi 316 electro-polished Compression ratio: 1:1 Max flow-rate: 550 l/min Fluid connections: Tri-Clamp 2" Fluids compatible: food and drink products Gasket: ptfе Air operated double diaphragm pumps have ...

CODE	028-F550-EF1
PRICE	€ 4.984,85



AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. P110 IN POLYPROPYLENE GASKET IN EPDM

Meclube Model P110 in polypropylene Compression ratio: 1:1 Max flow-rate: 110 l/min Fluid connections: 3/4" BSP Fluids compatible: abrasive liquid - alkalie / basic Gasket: epdm Air operated double diaphragm pumps have long been recognized as the mos ...

CODE	028-P110-AB4
PRICE	€ 410,20

FLEXIBLE PROBE Ø 7 MM 1200 MM

Probes by request



CODE	044-1493-000
PRICE	€ 8,02

GALVANIZED NIPPLE M3/4"G – M3/4"G

Galvanized nipple M3/4"G – M3/4"G



CODE	F96-0100-505
PRICE	€ 3,73

L SHAPED ELBOW 90° M F1

L shaped elbow 90° M-F1" Cromed bras



CODE	R1-0601-0006
PRICE	€ 10,37



PANEL SUPPORT 2 HOSE REELS

Panel support 2 hose reels For the application hose reels Mod. F-400 – F-460 – F-550 – CF-500 Dimensions 590X390X65 mm

CODE	079-1779-002
PRICE	€ 89,05



AIR OPERATED DOUBLE DIAPHRAGM PUMPS MOD. SS250 IN STAINLESS STEEL AISI 316 GASKET IN VITON

Meclube Model SS250 in stainless steel aisi 316 Compression ratio: 1:1 Max flow-rate: 250 l/min Fluid connections: 1" 1/4 BSP Fluids compatible: water - anti-freeze - windscreen - AdBlue Gasket: viton Air operated double diaphragm pumps have long bee ...

CODE	028-S250-AB2
PRICE	€ 2.131,39



AIR OPERATED GREASE PUMP RATIO 60:1 MOD. 660 12 16 KG

Air-operated grease pump ratio=60:1 Mod. 660 For standard drums 12-16 kg (shank length 410 mm) Polyurethane seals Those are suitable for the supply at high pressure of all kinds of grease at short and long distance. The operating pressure of the grea ...

CODE	010-1000-000
PRICE	€ 188,75



AIR OPERATED OIL PUMP MOD.501 RATIO 1:1 DELIVERY CAPACITY 35 L/MIN FOR STANDARD DRUMS OF 50 60 L

Air-operated oil pump Mod.501 ratio=1:1 Delivery capacity 35 l/min For standard drums of 50-60 l (shank length740 mm) Viton seals With threaded ring for drum connection. These pumps are advised for the transfer of low viscosity oil (SAE 15/80), simil ...

CODE	020-0980-000
PRICE	€ 172,36





AIR OPERATED SUCTION DRAINER FOR EXHAUSTED OIL 65 L WITH PRE CHAMBER

Air-operated suction-drainer for exhausted oil 65 l with pre-chamber Tank capacity 65 l with level indicator Basin abs 3 sections tool holder Pre-chamber capacity 10 l Recovery basin capacity 15 l with breakwater grate for drip the substituted oil fi ...

CODE	040-1442-000
PRICE	€ 497,79



POLYETHYLENE GRADUATED DECANTER 1 L

Polyethylene graduated decanter 1 l With lid, flexible pipe and plug

CODE	027-1354-000
PRICE	€ 4,91



AUTOMATIC DROP VALVE Ø 14 MM WITH F 1/4" G INLET CONNECTION

Automatic drop valve Ø 14 mm with F 1/4" G inlet connection

CODE	024-1258-000
PRICE	€ 15,00



AUTOMATIC NOZZLE PA120 FOR DIESEL FUEL TRANSFER

Automatic nozzle "PA120" for diesel fuel transfer ■ Flow rate 120 l/min ■ Aluminium body with plastic handle ■ Swivel connection F1" Manual dispensing nozzle with a device that shuts off the flow automatically when the tank is full. P ...

CODE	093-5220-000
PRICE	€ 70,24



CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Syntetic rubber hose no trace blue 25C 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 OVERALL DIMENSIONS ...

CODE	074-4505-310
PRICE	€ 343,41





CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500 WITH HOSE 18 M Ø 1/2"

Equipped with: - Synthetic black rubber hose 15C 18 m - \varnothing 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4506-418
PRICE	€ 353,23



CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR MOD. CS 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 25C 15 m - \varnothing 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4505-315
PRICE	€ 400,24



R1 HOSE 1/2" M F LENGTH 4M

WORKING PRESSURE 160 bar BURST 640 bar

CODE	906-0404-040
PRICE	€ 35,33



RUBBER HOSE 20BAR Ø 5/16" LENGTH 1M

Synthetic black rubber hose R6 Inlet-Outlet F3/8"G - F3/8"G Dimensions 5/16"

CODE	902-0222-010
PRICE	€ 13,00



CLOSED HOSE REEL SWIVELLING IN PLASTIC FOR AIR WATER 10 BAR MOD. CS 275 12+1 M Ø 6X10

Equipped with: - Polyurethane blue hose 12+1 m - \varnothing 6x10 Inlet-outlet F1/4"G - M1/4"G - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-3401-112
PRICE	€ 108,27





CLOSED HOSE REEL SWIVELLING IN PLASTIC FOR AIR WATER 10 BAR MOD. CS 275 9+1 M Ø 8X12

Equipped with: - Polyurethane blue hose 9+1 m - ϕ 8x12 Inlet-outlet F1/4"G - M1/4"G - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-3401-209
PRICE	€ 105,82



COMPLETE INSTALLATION 2 POSITIONS FOR BARRELS 180 220 L

Fix and complete positions that offer an independent working station. They allow an optimal placing in every working environment (factories and repair shops) allowing to operate in a clean and safe way and without wasting of lubricant oils for diffe ...

CODE	023-1945-000
PRICE	€ 1.958,33



DIESEL TANK 220 24V

Rigid polyethylene tank for diesel transport for non-commercial use except for ADR 1.1.3.1, with built-in transfer unit consisting of rotary vane self-priming pump available in various voltages (12-24V), delivery hose ϕ 20 mm, 4,5 m long and automa ...

CODE	090-6220-024
PRICE	€ 648,03

RUBBER HOSE 88BAR Ø 1" LENGTH 0,8M

Synthetic black rubber hose 15C Inlet-Outlet F90° 1"G - F1"G Dimensions 1"



CODE	906-0636-008
PRICE	€ 46,60

RUBBER HOSE STOP FOR 1" Ø 35 MM HOSES

Rubber hose stop for 1" ϕ 35 mm hoses



CODE	079-1780-006
PRICE	€ 6,57



SHANK VALVE WITH AIR ASPIRATION BLOCK

Shank valve with air aspiration block Thread1" F to connect to the modular extensions

CODE	025-1277-000
PRICE	€ 65,96



DIGITAL FLOW METER FOR ANTI FREEZE AND WINDSCREEN LIQUID

Digital flow meter for anti-freeze and windscreen liquid Delivery max 35 l/min It is equipped with two displays, one for partial measures (resettable) and one for total measures (not resettable) of the dispensed fluid The digital flow meters allow to ...

CODE	024-1238-000
PRICE	€ 166,69



DOUBLE ACTING AIR OPERATED INDUSTRIAL OIL PUMP RATIO 14:1 MOD. 1214 FLANGED FOR BARRELS OF 180 220 L

Double-acting air-operated industrial oil pump ratio=14:1 Mod. 1214 flanged For barrels of 180-220 l Polyurethane seals These pumps are advised for the transfer of low-high viscosity oil and similar for medium-long distances. The delivery capacity of ...

CODE	021-1214-094
PRICE	€ 904,39



DOUBLE ACTING AIR OPERATED OIL PUMP MOD.608 RATIO 8:1 DELIVERY CAPACITY 20 L/MIN FOR STANDARD TANKS OF 750 1500 L

Double-acting air-operated oil pump Mod.608 ratio=8:1 Delivery capacity 20 l/min For standard tanks of 750-1500 l (shank length 1250 mm) Polyurethane seals With threaded ring for drum connection. These pumps are advised for the transfer of high viscos ...

CODE	020-1211-000
PRICE	€ 282,77





SUCTION CONNECTIONS CDS

Suction connections CDS

CODE	099-6000-000
PRICE	€ 44,87



TRIPLE SWIVEL JOINT WITH 1/4" M F THREAD

Triple-swivel joint with 1/4" M-F thread

CODE	014-1090-000
PRICE	€ 16,39



ELECTRIC PUMP FOR DIESEL FUEL TRANSFER 230V 50HZ 60 L/MIN

Electric pump for diesel fuel transfer 230V-50Hz 60 l/min ■ Power cable 2 m long + Schuko plug
■ Self-priming rotary electric pump ■ Cast iron body ■ In-built by-pass valve ■ AC engine ■ Stainless steel filter 100 micron ■ Motor p ...

CODE	091-5095-060
PRICE	€ 133,23



GREASE CONTROL GUN WITH FLEXIBLE HOSE AND 4 JAWS COUPLING TRIPLE SWIVEL JOINT F 1/4"

Grease control gun with flexible hose and 4-jaws coupling Length flexible hose 400 mm Triple-swivel joint F 1/4"

CODE	014-1081-010
PRICE	€ 44,18



HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. F 460 WITHOUT HOSE INLET OUTLET M1/2"G M1/2"G

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-Outlet M1/2"G - M1/2"G POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1301-400
PRICE	€ 199,39





HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. F 555 WITH HOSE INLET OUTLET F3/4"G M3/4"G

Equipped with: - Syntethic black rubber hose R6 15 m - ϕ 3/4" Inlet-outlet F3/4"G - M3/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1502-515
PRICE	€ 480,03



HOSE REEL FIXED FOR DIESEL 10 BAR MOD. F 550 WITH HOSE 10 M ϕ 3/4"

Equipped with: - Antistatic black rubber hose 10 m - ϕ 3/4" Inlet-outlet F1"G - M1"G - Galvanized connection - Swivelling joint 90° galvanized - Viton seals
 Hose reel capacity 90 l/min
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1408-510
PRICE	€ 368,23



HOSE REEL FIXED FOR GREASE 600 BAR MOD. F 550 WITH HOSE 20 M ϕ 3/8"

Equipped with: - Syntethic black rubber hose 2SC 20 m - ϕ 3/8" Inlet-outlet M3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1407-320
PRICE	€ 434,39



HOSE REEL FIXED FOR OIL 160 BAR MOD. F 400 WITH HOSE 10 M ϕ 1/2"

Equipped with: - Syntethic black rubber hose 1SC 10 m - ϕ 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1206-410
PRICE	€ 267,77





HOSE REEL FIXED FOR OIL 160 BAR MOD. F 560 WITH HOSE 20 M Ø 1"

Equipped with: - Synthetic black rubber hose 15C 20 m - ϕ 1" Inlet-outlet M1"G - M1"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1606-620
PRICE	€ 888,08



HOSE REEL FIXED FOR WATER 150° C 200/400 BAR MOD. F 555 WITHOUT HOSE INLET OUTLET M3/8"G M3/8"G

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-Outlet M3/8"G - M3/8"G
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-1505-300
PRICE	€ 341,82



HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. S 400 WITH HOSE 10 M Ø 10X14

Equipped with: - Polyurethane blue hose 10 m - ϕ 10x14 Inlet-outlet F3/8"G - M3/8"G - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	071-1201-310
PRICE	€ 250,69



HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. S 400 WITH HOSE R6 10 M Ø 3/8"

Equipped with: - Synthetic black rubber hose R6 10 m - ϕ 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	071-1202-310
PRICE	€ 260,65





**HOSE REEL SWIVELLING FOR ANTIFREEZE WINDSCREEN
 ADBLUE 20 BAR MOD. S 550 WITHOUT HOSE**

Equipped with: - Stainless steel swivelling joint 90° AISI 316 - Viton seals Inlet-Outlet F3/4"G - M3/4"G POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	071-1409-500
PRICE	€ 312,64



**HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. S 400
 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	071-1207-310
PRICE	€ 295,56



**HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR MOD. S
 400 WITH HOSE 15 M Ø 5/16**

Equipped with: - Syntethic rubber hose no trace blue 2SC 15 m - ø 5/16" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals POSSIBILITIES OF APPLICATION OVERALL DIMENSION ...

CODE	071-1205-215
PRICE	€ 348,94



**HOSE REEL SWIVELLING FOR WATER 150°C 400 BAR MOD. S
 555 WITH HOSE 30 M Ø 1/2**

Equipped with: - Syntethic rubber hose no trace blue 2SC 30 m - ø 1/2" Inlet-outlet M1/2"G - F1/2"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	071-1505-430
PRICE	€ 734,94





**INDUSTRIAL AIR OPERATED PUMP FOR GREASE RATIO 75:1
 MOD. 1275 FLANGED DOUBLE EFFECT SHANK LENGTH 940 MM**

Air operated industrial pump for grease ratio=75:1 Mod. 1275 flanged double effect For drums 180-220 kg (shank length 940 mm) Polyurethane seals For high viscosity grease and oils Suitable for high pressure transfer of high viscosity grease and fluid ...

CODE	011-1275-094
PRICE	€ 1.059,68



**INDUSTRIAL HOSE REELS MOTORIZED ELECTRICAL 12V FOR
 GREASE 400 BAR MOD. ME 650**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Hose reel capacity 3/8" - 160m 1/2" - 140m Inlet-Outlet F1"G - M1"G OVERALL DIMENSIONS ...

CODE	076-8417-600
PRICE	€ 1.561,69



**INDUSTRIAL HOSE REELS MOTORIZED ELECTRICAL 24V FOR
 DIESEL 10 BAR MOD. ME 630**

Equipped with: - Swivelling joint 90° galvanized - Viton seals Hose reel capacity 3/4"- 45m 1" - 30m Inlet-Outlet F1"G - M1"G OVERALL DIMENSIONS ...

CODE	076-8228-600
PRICE	€ 1.472,71



**INDUSTRIAL HOSE REELS MOTORIZED HYDRAULIC FOR WATER
 150°C 200BAR MOD. MI 630**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Hose reel capacity 3/8"- 80m 1/2" - 70m Inlet-Outlet F1"G - M1"G OVERALL DIMENSIONS ...

CODE	076-6204-600
PRICE	€ 1.578,07





INDUSTRIAL HOSE REELS MOTORIZED PNEUMATIC FOR OIL AND SIMILAR 140 BAR MOD. MP 640

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Hose reel capacity 3/4"-76m 1" - 46m Inlet-Outlet F1"G - M1"G OVERALL DIMENSIONS ...

CODE	076-7306-600
PRICE	€ 1.513,98



INTERFACE AND SOFTWARE FOR THE CONNECTION WITH 12 LEVEL INDICATOR

Interface and software for the connection with 12 level indicator

CODE	026-2009-012
PRICE	€ 1.312,45



KIT ADBLUE 12V CONNECTIONS S60X6 MANUAL NOZZLE

AdBlue kit suitable for filling vehicles from the IBC tanks. Composed by: Support bracket for tank fixing, electric pump, flow meter, manual or automatic nozzle, delivery EPDM hose 6 m, and suction connections CDS.

CODE	097-5510-012
PRICE	€ 345,41



KIT ADBLUE 230V VALVE + FILTER AUTOMATIC NOZZLE

AdBlue kit suitable for filling vehicles from the barrels. Composed by: Electric pump, manual or automatic nozzle, delivery EPDM hose 6 m, and valve+filter.

CODE	097-5801-230
PRICE	€ 472,90



LID FOR INDUSTRIAL PUMPS WITH MUFF 2" F FOR DRUMS 30 50 KG

Lid for industrial pumps with muff 2" F Ø lid 395 mm Ø outside 340-395 mm For drums 30-50 kg Suitable for the application of the threaded ring fixing pumps. The drum lid is available in different diameters to fit drums from 5 to 220 kg . A handle pr ...





OIL DIGITAL FLOW METER HIGH DELIVERY

Oil digital flow meter high delivery It is equipped with two displays, one for partial measures (resettable) to 5 digits and one for total measures (not resettable) to 8 digits of the dispensed fluid

CODE	024-1236-000
PRICE	€ 233,62



OIL DISPENSER BAR REMOVABLE BASIN FOR PICKING UP DROPS

Oil dispenser bar Removable basin for picking up drops Supporting grate

CODE	027-1340-000
PRICE	€ 217,23



OIL SET SUITABLE FOR BARRELS OF 180 220 L DELIVERY CAPACITY 25 L/MIN

EQUIPPED WITH 1 x Air-operated oil pump Mod.503 ratio 3:1 Delivery capacity 25 l/min 1 x R1 hose 1/2" M-F length 3m 1 x Oil digital dispensing nozzle

CODE	022-1288-B00
PRICE	€ 356,29



OIL SET SUITABLE FOR BARRELS OF 180 220 L DELIVERY CAPACITY 28 L/MIN

EQUIPPED WITH 1 x Double-acting air-operated oil pump Mod.605 ratio 5:1 Delivery capacity 28 l/min 1 x R1 hose 1/2" M-F length 3m 1 x Oil digital dispensing nozzle

CODE	022-1288-000
PRICE	€ 423,06



PNEUMATIC AUTOMATIC PULSATION DAMPENERS MOD. DAMP 1000 IN SS AISI 316

Meclube Model Damp 1000 in SS AISI 316 Max flow-rate: 1000 l/min Fluid connections: 2" BSP The active pulsation dampener is the most efficient way to remove pressure variations on the discharge of the pump. Meclube pulsation dampener works actively w ...

CODE	A28-1000-004
PRICE	€ 3.499,42





POLISHED STEEL PRESSURE SPRAYER 24 L

Polished steel pressure sprayer 24 l Tank capacity 24 l with lever indicator Equipment suitable for the nebulisation of low density lubricating oils, detergents, disinfectants, and so on. When they are filled with liquid for 3/4 of their capacity and ...

CODE	050-1520-000
PRICE	€ 152,20



POLYPROPYLENE ROTARY PUMP FOR ADBLUE

Polypropylene rotary pump for AdBlue ■ Delivery capacity: 20 l/min (5 L. revolution) ■ For 50/220 L. barrels ■ Plastic drum adaptor 2" ■ Viton seals ■ Stainless steel hardware ■ Spout (external diameter 1") Suitable for the dis ...

CODE	099-5620-000
PRICE	€ 60,70



PRESSURE PLUG Ø 42,2

NOTE: For the choice of the connection plug, please check the LIST OF PLUGS FOR BRAKE BLEEDERS AND CLUTCHES available at this link (https://www.misterworker.com/misc/meclube_table_plugs_bleeder_clutches.jpg) Copy / paste it in your address bar if ...

CODE	083-1826-C00
PRICE	€ 6,64



SCREW PLUG MODEL 1 Ø 25

NOTE: For the choice of the connection plug, please check the LIST OF PLUGS FOR BRAKE BLEEDERS AND CLUTCHES available at this link (https://www.misterworker.com/misc/meclube_table_plugs_bleeder_clutches.jpg) Copy / paste it in your address bar if ...

CODE	083-1801-000
PRICE	€ 5,12



SCREW PLUG MODEL 18 Ø 44,5

NOTE: For the choice of the connection plug, please check the LIST OF PLUGS FOR BRAKE BLEEDERS AND CLUTCHES available at this link (https://www.misterworker.com/misc/meclube_table_plugs_bleeder_clutches.jpg) Copy / paste it in your address bar if ...

CODE	083-1818-000
PRICE	€ 5,60



STAINLESS STEEL AIR OPERATED TRANSFER PUMP MOD. 603X RATIO 3:1 DELIVERY CAPACITY 30 L/MIN FOR WALL FIXED

Stainless steel air-operated transfer pump Mod. 603X ratio=3:1 Delivery capacity 30 l/min For wall-fixed or steady emplacement It allows different possibilities of application depending on the different accessories Viton seals With threaded ring for ...

CODE	029-1374-000
PRICE	€ 540,52



STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 25C 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 OVERALL DIMENSIONS ...

CODE	074-5505-315
PRICE	€ 559,05



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 10 M Ø 5/16"

Equipped with: - Synthetic rubber hose no trace blue 15C 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 OVERALL DIMENSIONS ...

CODE	075-5504-210
PRICE	€ 499,25





STAINLESS STEEL HOSE REEL AISI 304 FIXED FOR AIR WATER 20 BAR MOD. FX 400 WITH HOSE 10 M Ø 3/8"

Equipped with: - Synthetic black rubber hose R6 10 m - ϕ 3/8" Inlet-outlet F3/8"G - M3/8"G - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-2202-310
PRICE	€ 381,71



STAINLESS STEEL HOSE REEL AISI 304 FIXED FOR AIR WATER 20 BAR MOD. FX 400 WITHOUT HOSE INLET OUTLET F3/8"G M3/8"G

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8"G - M3/8"G
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-2201-300
PRICE	€ 316,93



STAINLESS STEEL HOSE REEL AISI 304 FIXED FOR DIESEL 10 BAR MOD. FX 550 WITHOUT HOSE

Equipped with: - Swivelling joint 90° galvanized - Viton seals Hose reel capacity 95 l/min Inlet-Outlet F1"G - M1"G
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-2408-600
PRICE	€ 475,74



STAINLESS STEEL HOSE REEL AISI 304 FIXED FOR WATER 150° C 200 BAR MOD. FX 400 WITH HOSE 15 M Ø 5/16

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ϕ 5/16" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSION ...

CODE	070-2204-215
PRICE	€ 447,25





**STAINLESS STEEL HOSE REEL AISI 304 FIXED FOR WATER 150°
C 200/400 BAR MOD. FX 560 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M1/2"G - M1/2"G POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	070-2605-400
PRICE	€ 903,70



**STAINLESS STEEL HOSE REEL AISI 304 SWIVELLING FOR AIR
WATER 20 BAR MOD. SX 555 WITHOUT HOSE INLET OUTLET
F1"G M1"G**

Equipped with: - Swivelling joint 90° nicklel-plated brass - Viton seals Inlet-outlet F1"G - M1"G POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	071-2502-600
PRICE	€ 548,33



**STAINLESS STEEL HOSE REEL AISI 304 SWIVELLING FOR
ANTIFREEZE WINDSCREEN ADBLUE 20 BAR MOD. SX 400 WITH
HOSE**

Equipped with: - Antistatic black rubber hose EPDM 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals POSSIBILITIES OF APPLICATION OVERALL DIMEN ...

CODE	071-2209-410
PRICE	€ 546,95



**STAINLESS STEEL HOSE REEL AISI 304 SWIVELLING FOR WATER
150° C 200 BAR MOD. SX 400 WITH HOSE 10 M Ø 3/8**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals POSSIBILITIES OF APPLICATION OVERALL DIMENSION ...

CODE	071-2204-310
PRICE	€ 442,28



**STAINLESS STEEL HOSE REEL AISI 304 SWIVELLING FOR WATER
 150° C 400 BAR MOD. SX 460 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 15 m - Ø 1/2" Inlet-outlet M1/2"G - F1/2"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 POSSIBILITIES OF APPLICATION OVERALL DIMENSIONS ...

CODE	071-2305-415
PRICE	€ 590,37



STAINLESS STEEL PRESSURE SPRAYER AISI 304 24 L

Stainless steel pressure sprayer AISI 304 24 l Tank capacity 24 l with lever indicator Manometer with stainless steel case Equipment suitable for the nebulisation of low density lubricating oils, detergents, disinfectants, and so on. When they are fi ...

CODE	050-1510-000
PRICE	€ 318,06



**STAINLESS STEEL PRESSURE SPRAYER AISI 304 24 L WITH
 FOAMING DEVICE**

Stainless steel pressure sprayer AISI 304 24 l With foaming device Tank capacity 24 l with lever indicator Manometer with stainless steel case Equipment suitable for the nebulisation of detergents with foaming device. When they are filled with liquid ...

CODE	051-1512-000
PRICE	€ 356,82



SWIVELLING JOINT 90° AIR WATER 20 BAR F 3/4"G

Swivelling joint 90° AIR-WATER 20 bar F 3/4"G brass, viton seals

CODE	079-1770-005
PRICE	€ 28,14



TRANSFER KIT 100 A



Portable diesel fuel transferring kit with 12V or 24V DC electric pump. It is useful when the distribution or the diesel fuel transferring are required, but only when the electric power supply of a battery is available.

CODE	090-5302-100
PRICE	€ 415,17

WALL FIXED OIL SET FOR BARRELS OF 180-220 L



EQUIPPED WITH 1 x Support for picking up drops for oil nozzle 1 x Rubber hose 160bar Ø 1/2" length 0,6m 1 x Hose reel swivelling FOR OIL 160 bar Mod. S-400 WITH HOSE 1 x Oil digital dispensing nozzle

CODE	022-1302-000
PRICE	€ 803,31

WALL FIXED OIL SET FOR TANKS 1000 L MOD.805 RATIO 5:1 DELIVERY CAPACITY 35 L/MIN



The tank is not included in the oil set It is a modular solution that allows the oil delivery with link to a centralized system, to a hose reel or directly to the delivery hose. EQUIPPED WITH 1 x Double-acting air-operated oil pump HIGH-DELIVERY Mod ...

CODE	022-1884-000
PRICE	€ 739,91

WALL FIXED SET FOR ANTI FREEZE AND WINDSCREEN LIQUID



EQUIPPED WITH 1 x Stainless steel air-operated transfer pump Mod. 501X ratio 1:1 Delivery capacity 35 l/min 1 x Threaded ring Ø 42 mm for pumps fastening 1 x Painted steel wall fixed bracket 1 x STAINLESS STEEL shank hose for wall- fixed pumps ...

CODE	029-1380-000
PRICE	€ 665,87



WATER 150°C HOSE 200BAR Ø 1/2" LENGTH 40M

Synthetic rubber hose no trace blue 15C Galvanized connections Rubber blue handle Inlet-Outlet F1/2"G - F1/2"G Dimensions 12,7X20,4

CODE	904-0424-400
PRICE	€ 294,87



WATER 150°C HOSE 400BAR Ø 3/8" LENGTH 40M

Synthetic rubber hose no trace blue 15C Galvanized connections Rubber blue handle Inlet-Outlet F3/8"G - F3/8"G Dimensions 9,6X18,3

CODE	905-0323-400
PRICE	€ 373,21



WHEELED GREASE SET SUITABLE FOR DRUMS 18– 30 KG

EQUIPPED WITH 1 x Air-operated grease pump ratio 60:1 Mod. 660 18-30 kg 1 x Lid for pumps with shank Ø 30 mm 1 x Follower plate for pumps with shank Ø 30 mm 1 x Grease control gun with flexible hose and 4-jaws coupling 1 x Trolley for 20-60 Kg ...

CODE	013-1113-000
PRICE	€ 351,84



WHEELED GREASE SET SUITABLE FOR DRUMS 18–30 KG

EQUIPPED WITH 1 x Air-operated grease pump ratio 60:1 Mod. 660 18-30 kg 1 x Lid for pumps with shank Ø 30 mm 1 x Follower plate for pumps with shank Ø 30 mm 1 x Grease control gun with flexible hose and 4-jaws coupling 1 x Trolley for 20-60 Kg drum ...

CODE	013-1106-000
PRICE	€ 333,76



WHEELED MANUAL GREASE PUMP 16 KG

Wheeled manual grease pump 16 kg Outlet grease pressure 400 bar 60 g delivery by 10 cycles of the lever Wheeled container 16 kg

CODE	016-1142-000
PRICE	€ 116,84



WHEELED OIL SET SUITABLE FOR BARRELS OF 180–220 L
DELIVERY CAPACITY 28 L/MIN

EQUIPPED WITH 1 x Double-acting air-operated oil pump Mod.605 ratio 5:1 Delivery capacity 28 l/min 1 x Trolley for 180-220 Kg barrels 1 x R1 hose 1/2" M-F length 3m 1 x Oil digital dispensing nozzle

CODE	022-1298-C00
PRICE	€ 592,51