



**Mister Worker**<sup>®</sup>  
YOUR PROFESSIONAL TOOLS SUPPLIER

# CATALOG

SEPTEMBER 2019



**STANLEY.**

**LEVELS**



**FATMAX DIGITAL LEVEL**

IN BRIEF Stanley 0-42-063 - 360° readout flips in upsidedown position. Functional in all positions. Digital accuracy: 0.10 at level and plumb, 0.20 at other angles DESCRIPTION 360° Readout Flips In Upsidedown Position. Functional In All Posit ...

CODE	0-42-063	0-42-065	0-42-086
PRICE	€ 45,57	€ 55,90	€ 79,30



**STANLEY DIGITAL ANGLE LEVEL**

IN BRIEF Stanley 0-42-087 - Angle measurement 0° up to 180° Clear LCD Screen Horizontal and vertical vials Anodized aluminum profile Accuracy ± 0.1° DESCRIPTION Angle Measurement 0° Up To 180° Clear Lcd Screen Horizontal And Vertica ...

CODE	0-42-087
PRICE	€ 95,71





### AA RECHARGEABLE BATTERIES 4PCS PACK

IN BRIEF Stanley 1-77-135 - Set of rechargeable batteries AA designed for laser levels's autonomy. More than 15 h autonomy. DESCRIPTION Rechargeable Batteries Aa Battey Life : 15H

CODE	1-77-135
PRICE	€ 20,25



### AA RECHARGEABLE BATTERIES FOR ROTARY LASER

IN BRIEF Stanley 1-77-136 - Rechargeable batteries AA. Battey life: 15h. DESCRIPTION Rechargeable Batteries Aa Battey Life : 15H

CODE	1-77-136
PRICE	€ 40,50



### ADDITIONAL POLE FOR CL90

IN BRIEF Stanley 1-77-184 Adjusting spring loaded end section for fine adjustment. Strong aluminum construction. 4 section pole with graduations. Max length 3,30 m. DESCRIPTION Supplied With Carry Bag And Sliding Table With 5/8 Thread Adjustin ...

CODE	1-77-184
PRICE	€ 45,75



### ADJUSTABLE LASER TRIPOD POLE

Stanley Laser Level Accessories : Stanley 1-77-022 Adjustable laser tripod pole 3.6m Pole system. Spring loaded. Lightweight but sturdy 30mm dia pole sections, each 59cm long. Free-standing support tripod Adjustable Mounting bracket with 1/ ...

CODE	1-77-022
PRICE	€ 72,00



### AL24 OPTICAL LEVEL

IN BRIEF Stanley 1-77-160 - Fits to standard tripod. Water & Dust resistant: IPX-4 (dust & water resistant) . Magnetically dampened, wire hung compensator. DESCRIPTION Fits To Standard Tripod Sealed, Dust & Water Protected For W ...

CODE	1-77-160
PRICE	€ 307,50





**FATMAX® FCL-GI CROSS LASER LEVEL - GREEN BEAM**

Fatmax® FCL-GI cross laser level - green beam

CODE	FMHT77595-1
PRICE	€ 240,00



**STANDARD ALUMINUM TRIPOD TP1**

CODE	STHT77625-1
PRICE	€ 51,00



**AL32 FATMAX® AUTOMATIC OPTICAL LEVEL PACK**

IN BRIEF Stanley 1-77-245 - x32 magnification. Improves optimum range and accuracy. Compensator lock. Top mounted optical peep sight. Can be used in all weathers . DESCRIPTION X32 Magnification - 33% Higher Magnification Wire-Hung, Magnetic ...

CODE	1-77-245
PRICE	€ 330,00



**ALUMINIUM TRIPOD TPE1**

IN BRIEF Stanley 1-77-164 Tubular screw for siting plumb. Extending centre column 102-292 cm Strong, aluminum body with extending legs & quick clamp DESCRIPTION Tubular Screw For Siting Plumb Extending Centre Column 102-292 Cm Quick Rel ...

CODE	1-77-164
PRICE	€ 134,25



**AR51 5M ALUMINIUM METRIC GRADE ROD**

IN BRIEF Stanley 1-77-161 - Standard construction site telescopic measuring rod 5 m overall with 5 sections graduated in cm & mm Strong, light weight aluminum DESCRIPTION Standard Construction Site Telescopic Measuring Rod 5 M Overall ...

CODE	1-77-161
PRICE	€ 41,25





### CAMERA TRIPOD

IN BRIEF Stanley 1-77-201 - Adjustable height from 44 - 119 cm Integrated leveling  
Lightweight, sturdy aluminum tripod with extendable tripod legs and centre pole DESCRIPTION  
Compact And Stable Adjustable Height From 44 - 119 Cm For Conven ...

CODE	1-77-201
PRICE	€ 27,00



### TRIPOD WITH ADJUSTABLE BASE

CODE	STHT77643-1
PRICE	€ 66,00



### ASSORTMENT FOR INDUSTRIAL MAINTENANCE (204 PCS.)

Assortment for industrial maintenance (204 pcs.) Supplied with hooks for cabinets 502 USAG  
high quality tools Ideal for maintenance 204 items included 1 model available Weight 27 Kg Pcs  
description: 1 Insulating tape 073/19x25 2 Pl ...

CODE	U04960048
PRICE	€ 1.908,75



### CLRL100 CHARGER FOR MULTILINE AND ROTARY LASERS

IN BRIEF Stanley 1-77-127 Charger for rechargeable batteries in the Multiline and Rotary units .  
Specific adaptor for EUR and UK plugs. DESCRIPTION Charger For Rechargeable Batteries In The  
Multiline And Rotary Units. Specific Adaptor For Eur ...

CODE	1-77-127
PRICE	€ 32,25



### FATMAX CROSS LASER LEVEL - 2 SPOT - RED

It projects a wide cross, both vertical and horizontal + 2 independent beams + 2 plumb points of  
high visibility. The integrated magnetic base let you fasten it directly on metal supports, to allow  
the projection of the radius that encompasses the ...

CODE	FMHT1-77414
PRICE	€ 219,00





### FATMAX DETECTOR FOR RLD400 ROTARY LASERS

IN BRIEF Stanley 1-77-133 - For rotating laser . Two sound levels , built-in speaker and integrated LED. DESCRIPTION For Rotating Laser . Two Sound Levels , Built-In Speaker . And Integrated Led.

CODE	1-77-133
PRICE	€ 122,25



### FATMAX REMOTE CONTROL FOR RC100 ROTATING LASERS

IN BRIEF Stanley 1-77-134 - Enables User to control Rotational speed, Scan function, Auto/Manual for both single & dual grade setting. DESCRIPTION For Use With Stanley RI Hw+ 1-77-429 Enables User To Set X & Y Axis Slopes Together Or Ind ...

CODE	1-77-134
PRICE	€ 28,50



### FATMAX RL HW ROTARY LASER - GREEN BEAM

IN BRIEF Stanley 1-77-439 - Self-levelling rotating laser. For horizontal and vertical levelling, squaring and plumbing. Range of use: up to 300 meters. DESCRIPTION Self-Levelling Rotating Laser. For Horizontal And Vertical Levelling , Squarin ...

CODE	1-77-439
PRICE	€ 1.544,00



### FATMAX ROTARY X600R LASER ALKALINE - RED

60m working range, 600m with a detector Accuracy of +/- 2.2m @ 30m Projects 1 x 360 degrees beam (one rotational spot) with plumb up Working environment: interior/ exterior use Tilt Mode 5/8 thread allows unit to be mounted to a tripod Rated to IP54 ...

CODE	FMHT77446-1
PRICE	€ 547,50



### FATMAX ROTARY X700LG LASER LI-ION - GREEN

80m working range, 600m with a detector Accuracy of +/- 1.5m @ 30m Projects 1 x 360 degrees beam (one rotational spot) with plumb up and down Green beam laser diode provides full brightness for visibility and extended working range Working environmen ...

CODE	FMHT77448-1
PRICE	€ 1.072,50





**FATMAX ROTARY X700LR LASER LI-ION - RED**

60m working range, 600m with a detector Accuracy of +/- 1.5m @ 30m Projects 1 x 360 degrees beam (one rotational spot) with plumb up and down Working environment: interior/ exterior use Multiple scanning mode (10 degrees, 45 degrees, 90 degrees) Tilt ...

CODE	FMHT77447-1	FMHT77449-1
PRICE	€ 825,00	€ 750,00



**FATMAX® CL2XTI CROSS LINE LASER WITH RECEIVER**

IN BRIEF Stanley 1-77-121 - Projects horizontal and vertical lines to create a cross line. 25 m/50 m range with the supplied detector. Receiver included. DESCRIPTION Ideal For Floor And Wall Tiling, Kitchen Fitting, Stud Walling, Patios, Decking ...

CODE	1-77-121
PRICE	€ 279,00



**FATMAX® CLI CROSS LINE LASER**

IN BRIEF Stanley 1-77-123 - 25 m range. Projects 1 horizontal and 1 vertical line to create a cross line. Magnetically dampended pendulum. Resistance: IP54. DESCRIPTION 25 Meter Range, In An Interior And Exterior Working Environment Projects 1 ...

CODE	1-77-123
PRICE	€ 134,25



**FATMAX® EXTERIOR RL HVPW ROTARY LASER**

IN BRIEF Stanley 1-77-427 - Working range 400 m. Horizontal, plumb and square beam. Can be used with a remote control. Operating range: 400. DESCRIPTION Working Range 400 M Drop Proof Glass Enclosed Beacon Horizontal, Plumb And Square Beam T ...

CODE	1-77-427
PRICE	€ 1.016,00



**FATMAX® LD100 LINE DETECTOR WITH CLAMP**

IN BRIEF Stanley 1-77-023 - For internal and external use. Working range: 30 m. Battery power: 1x 9 V alkaline. Accuracy: 1 mm. To use with CL lasers. DESCRIPTION Working Range: 30 M Working Environment: Interior And Exterior Battery Power: &am ...

CODE	1-77-023
PRICE	€ 89,25







### FATMAX® RL HV EXTERIOR ROTARY LASER - ADJUSTABLE HEAD

IN BRIEF Stanley 1-77-497 - Working range 400 m. Horizontal, square laser beam. Anti-drift system. Glass Enclosed Head Provides IP rating IP66. DESCRIPTION Working Range 400 M Drop Proof Glass Enclosed Beacon Horizontal, Square Laser Beam The ...

CODE	1-77-497
PRICE	€ 952,00



### FATMAX® RL HW+ EXTERIOR ROTARY LASER

IN BRIEF Stanley 1-77-429 - Working range 600 m . The rotating head can be set up for a 10% slope (manual grade). Anti-drift system . DESCRIPTION Working Range 600 M Drop Proof Glass Enclosed Beacon The Rotating Head Can Be Set Up For A 10% ...

CODE	1-77-429
PRICE	€ 920,00



### FCL -G FATMAX CROSS LINE LASER - GREEN BEAM

IN BRIEF Stanley FMHT1-77348 - Self-leveling , projects a horizontal and a vertical line. Attack 5/8 " + 1/4". Green laser diode 515 Nm - Class 2. Flow line: 20 m. DESCRIPTION Self-Leveling , Projects A Horizontal And A Vertical Line And A Vertic ...

CODE	FMHT1-77348
PRICE	€ 309,60



### GRD 240 - RECEIVER FOR ROTATING LASER

IN BRIEF Stanley FMHT1-77359 - Range of use : 200 m. 2 levels of precision : ± 6 mm and ± 12 mm. Reception angle : 360°. verticality indicator : ± 5 °. DESCRIPTION Receiver For Rotating Lasers. Range Of Use : 200 Meters . 2 Levels Of Prec ...

CODE	FMHT1-77359
PRICE	€ 644,00



### GRD 360 - RECEIVER FOR ROTATING LASER

IN BRIEF Stanley FMHT1-77360 - Laser beam Capacity: 6 m. Rotating laser head 180 ° Detects wood and metal ( edges ) + under tension electric cables Auto calibration DESCRIPTION Receiver For Rotating Lasers. Range Of Use : 200 Meters . 2 Leve ...

CODE	FMHT1-77360
PRICE	€ 1.384,00







### GT1 LASER TARGET GRID

IN BRIEF Stanley 1-77-170 - Enhances laser beam for better visibility Laser reflecting plate with magnetic base DESCRIPTION Enhances Laser Beam For Better Visibility Laser Reflecting Plate With Magnetic Base Ideal For Setting Suspended Ceilings

CODE	1-77-170
PRICE	€ 8,25

### LASER GRADUATED POLE



IN BRIEF Stanley 06-TLM - It allows to determine the differences in positive and negative with respect to a zero point. Adjustable from 137 to 250 cm. DESCRIPTION It Allows To Determine The Differences In Positive And Negative With Respect To A Z ...

CODE	06-TLM
PRICE	€ 45,75



### LASER LEVEL FATMAX 5 SPOT - GREEN

It projects 5 independent beams of which 2 plumb points of high visibility and 3 levelling points. The integrated magnetic base let you fasten it directly on metal supports, to allow the projection of the radius that encompasses the whole room on t ...

CODE	FMHT1-77437
PRICE	€ 219,00



### LASER LEVEL FATMAX CROSS - 2 SPOT - GREEN

It projects a wide cross, both vertical and horizontal + 2 independent beams + 2 plumb points of high visibility. The integrated magnetic base let you fasten it directly on metal supports, to allow the projection of the radius that encompasses the ...

CODE	FMHT1-77438
PRICE	€ 318,40



### LASER LEVEL FATMAX CROSS - 5 SPOT - GREEN

It projects a wide cross, both vertical and horizontal + 5 independent beams + 2 plumb points of high visibility. The integrated magnetic base let you fasten it directly on metal supports, to allow the projection of the radius that encompasses the ...

CODE	FMHT1-77442
PRICE	€ 351,20





**LASER LEVEL FATMAX CROSS - 5 SPOT - GREEN**

It projects a wide cross, both vertical and horizontal + 5 independent beams + 2 plumb points of high visibility. The integrated magnetic base let you fasten it directly on metal supports, to allow the projection of the radius that encompasses the ...

CODE	FMHT1-77435
PRICE	€ 33,00



**LASER LEVEL FATMAX CROSS - 5 SPOT - RED**

It projects a wide cross, both vertical and horizontal + 5 independent beams + 2 plumb points of high visibility. The integrated magnetic base let you fasten it directly on metal supports, to allow the projection of the radius that encompasses the ...

CODE	FMHT1-77415
PRICE	€ 232,50



**LASER MOUNT ADAPTOR 1-4" FEMALE 5-8" MALE**

IN BRIEF Stanley 1-77-128 - Small adaptor to fit multiline laser on all pole (Screwthread: 1/4) . Height: 2 cm . Large base. DESCRIPTION Small Adaptor To Fit Multiline Laser On All Pole (Screwthread: 1/4) Height: 2 Cm Large Base

CODE	1-77-128
PRICE	€ 6,53



**LASER POLE WITH MAGNETIC MOUNT**

IN BRIEF Stanley 1-77-221 - Can be used with all cross line lasers . Telescopic for easy transportation . Aluminum, both strong and lightweight . Max length 2,8 m DESCRIPTION Can Be Used With All Cross Line Lasers Telescopic For Easy Transpo ...

CODE	1-77-221
PRICE	€ 67,50



**LD200 LINE LASER DETECTOR**

IN BRIEF Stanley 1-77-132 - To be employed with pulsating light lasers, both indoor and outdoor. Range 50 m. LCD screen. 2 levels Sound Alarm. DESCRIPTION To Be Employed With Pulsating Light Lasers, Both Indoor And Outdoor. Range 50 M. Lcd S ...

CODE	1-77-132
PRICE	€ 90,00





### LGA1 LASER GRADE ADAPTER

IN BRIEF Stanley 1-77-168 - Fits to a standard tripod to allow the user to tilt the laser level to the desired angle for setting grade and diagonal lines DESCRIPTION Fits To A Standard Tripod To Allow The User To Tilt The Laser Level To The D ...

CODE	1-77-168
PRICE	€ 53,25



### LINE DETECTOR FOR FCL-G GREEN BEAM LASER

IN BRIEF Stanley FMHT1-74267 - Receiver for FCL-G green beam laser. 50 m flow. Two levels of precision : average and large. LCD screen with 2 levels sound alarm. DESCRIPTION Receiver For Fcl-G Green Beam Laser. 50 Meters Reach. Two Levels Of ...

CODE	FMHT1-74267
PRICE	€ 90,00



### MANUAL WALL LASER

IN BRIEF Stanley STHT1-77148 - Laser Class 2. Projects the laser beam along a surface. Wall mount for 360° rotation of the tool. Operating range: 4.5 m. DESCRIPTION Projects The Laser Beam Along A Surface. Wall Mount For 360° Rotation Of The ...

CODE	STHT1-77148
PRICE	€ 19,50



### MINI TRIPOD FOR CL2 AND SP5

IN BRIEF Stanley 1-77-192 Folded flat. It can be used with a 5/8 standard tripod or with lasers having a 1/4 camera tripod mount. Comes complete with magnet. DESCRIPTION Folded Flat, It Can Also Be Used With A 5/8 Standard Tripod This Mini Tr ...

CODE	1-77-192
PRICE	€ 22,50



### MOUNTING BRACKET FOR LASER DETECTORS

IN BRIEF Stanley 1-77-025 - With fine adjustment. For all laser receivers. DESCRIPTION With Fine Adjustment. For All Laser Receivers.

CODE	1-77-025
PRICE	€ 14,25





### RECEIVER FOR RAOTARY LASER - GREEN BEAM

IN BRIEF Stanley FMHT1-74266 - 300 meters reaching capacity. Two levels of precision: average and large. Mounting support rod. LCD screen with 2 levels sound alarm. DESCRIPTION Receiver For Green Ray Laser. 300 Meters Reaching Capacity . Two Lev ...

CODE	FMHT1-74266
PRICE	€ 122,25



### RED GLASSES FOR GL1 LASER

IN BRIEF Stanley 1-77-171 - Glasses allow the user to see the laser beam more clearly Useful in bright light conditions DESCRIPTION Glasses Allow The User To See The Laser Beam More Clearly Useful In Bright Light Conditions To See Laser B ...

CODE	1-77-171
PRICE	€ 7,50



### RL HVPW FATMAX® ROTATING LASER- GREEN BEAM

IN BRIEF Stanley FMHT1-77441 - Self-levelling rotating laser. Allows levelling horizontally and vertically , squaring and plumbing. Glass protection of the head. DESCRIPTION Self-Levelling Rotating Laser. Allows Levelling Horizontally And Vertic ...

CODE	FMHT1-77441
PRICE	€ 1.240,00



### RL HW FATMAX® EXTERIOR ROTATING LASER

IN BRIEF Stanley 1-77-496 - Working range 600m. Drop proof glass enclosed beam. Anti-drift system. Rugged handle and rubber mouldings add extra strength DESCRIPTION Features And Benefits: Working Range 600M Drop Proof Glass Enclosed Beam Anti- ...

CODE	1-77-496
PRICE	€ 872,00



### SCG-P2 FATMAX CROSS/ 2 SPOT LASER LI-ION - GREEN

30m (Line), 45m (Spots) working range, 50m with a detector Accuracy of +/- 3mm @ 10m Projects a full cross line (horizontal & vertical) and 2 independent spot points Green beam laser providing full brightness for visibility and extended working r ...

CODE	FMHT77597-1
PRICE	€ 303,75





### SCG-P5 FATMAX CROSS/ 5 SPOT LASER LI-ION - GREEN

30m (Line), 45m (Spots) working range, 50m with a detector Accuracy of +/- 3mm @10m Projects a full cross line (horizontal & vertical) + 5 independent spot points Green beam laser providing full brightness for visibility and extended working rang ...

CODE	FMHT77598-1
PRICE	€ 319,20



### SELF LEVELLING WALL LASER

IN BRIEF Stanley STHT1-77149 Laser class 2 with all mount. Projects a vertical or a horizontal line on the surface. Self-leveling in 5 seconds. DESCRIPTION Ideal For Hanging Pictures, Shelves, Racks. Draws A Vertical Line Or A Horizontal Line. ...

CODE	STHT1-77149
PRICE	€ 34,24



### SLG-2V FATMAX 360 / 90 LASER LI-ION - GREEN

30m working range, 50m with a detector Accuracy of +/- 3mm @ 10m Projects a full 360 degrees horizontal line, 2 vertical lines and 1 down plumb dot Green beam laser providing full brightness for visibility and extended working range Provides line vis ...

CODE	FMHT77617-1
PRICE	€ 382,50



### SLL 360 LASER LEVEL

Stanley Laser Levels : Stanley STHT1-77137 Automatic self leveling Simple push button operation - Very easy to operate Laser line at 360° + 1 vertical line allows a cross line on front of the unit No pulse diode Projects 360° degree self leveli ...

CODE	STHT1-77137
PRICE	€ 180,80



### SPL 3 SPOT LASER

IN BRIEF Stanley STHT1-77342 - Projects 3points : 1 vertical, 1 plumb and 1 horizontal. Self-leveling range  $\pm 4^\circ$ . Light indicating when out of level. Range: 30 m. DESCRIPTION Self-Leveling, It Projects Three Points : 1 Vertical, 1 Plumb And 1 H ...

CODE	STHT1-77342
PRICE	€ 80,00





### STANDARD ALUMINIUM TRIPOD TP1

IN BRIEF Stanley 1-77-163 - Tubular screw for siting plumb working height 0,97 m to 1,60 m. Strong, aluminum body with extending legs & quick clamp. DESCRIPTION Tubular Screw For Siting Plumb Working Height 0,97 M To 1,60 M Quick Release ...

CODE	1-77-163
PRICE	€ 61,60



### STANLEY CUBIX SELF LEVELLING LASER

IN BRIEF Stanley STHT1-77340 - Self-leveling laser level, projects a crossed line. Single laser diode. Visual indicator when out of level. DESCRIPTION Self-Leveling Laser Level, Projects A Crossed Line. Single Laser Diode, Separated By A Lens. ...

CODE	STHT1-77340
PRICE	€ 47,20



### STANLEY® 3 SPOT GREEN BEAM LASER LEVEL

35m Working range Accuracy +/- 3mm @ 10m Projects 3 Spots - front, plumb up and down Green beam laser diode provides full brightness for visibility and extended working range Self-leveling to +/- 4° Rated to IP50 to protect against dust Pendulum ...

CODE	STHT77593-1
PRICE	€ 86,25



### STANLEY® 3 SPOT RED BEAM LASER LEVEL

30m Working range Accuracy +/- 3mm @ 10m Projects 3 spots - front, plumb up and down Self-leveling to +/- 4° Rated to IP50 to protect against dust Pendulum lock for safe transportation 1/4" thread allows the unit to be mounted to a tripod Suitable ...

CODE	STHT77503-1
PRICE	€ 66,00



### STANLEY® 360° CROSS LINE GREEN BEAM LASER LEVEL

25m Working range Accuracy +/- 4mm @ 10m Projects 1 x 360° horizontal and 1 vertical line Green beam laser diode provides full brightness for visibility and extended working range Self-leveling to +/- 4° Rated to IP50 to protect against dust Pendul ...

CODE	STHT77594-1
PRICE	€ 153,75







### STANLEY® 360° CROSS LINE RED BEAM LASER LEVEL

20m Working range Accuracy +/- 4mm @ 10m Projects 1 x 360° horizontal and 1 vertical line  
Self-leveling to +/- 4° Rated to IP50 to protect against dust Pendulum lock for safe transportation  
1/4" thread allows the unit to be mounted to a tripod Su ...

CODE	STHT77504-1
PRICE	€ 117,56



### STANLEY® CROSS 90™ CROSS LINE GREEN BEAM LASER LEVEL

16m Working range Accuracy +/- 5mm @ 10m Projects 1 horizontal and 1 vertical line to create  
a cross line plus additional 90° vertical beam Green beam laser diode provides full brightness for  
visibilty and extended working range Can be flipped on i ...

CODE	STHT77592-1
PRICE	€ 116,25



### STANLEY® CROSS 90™ CROSS LINE RED BEAM LASER LEVEL

12m Working range Accuracy +/- 5mm @ 10m Projects 1 horizontal and 1 vertical line to create  
a cross line plus additional 90° vertical beam Can be flipped on its back for ceiling applications Self-  
leveling to +/- 4° Rated to IP50 to protect again ...

CODE	STHT77502-1
PRICE	€ 82,65



### STANLEY® CUBIX™ CROSS LINE GREEN BEAM LASER LEVEL

16m Working range Accuracy +/- 6mm @ 10m Projects 1 horizontal and 1 vertical line to create  
a cross line Green beam Laser diode provides full brightness for visibility and extended working  
range Can be flipped on its back for ceiling applications S ...

CODE	STHT77499-1
PRICE	€ 86,25



### STANLEY® CUBIX™ CROSS LINE RED BEAM LASER

12m Working range Accuracy +/- 6mm @ 10m Projects 1 horizontal and 1 vertical line to create  
a cross line Can be flipped on its back for ceiling applications Self-leveling to +/- 4° Rated to IP50  
to protect against dust Pendulum lock for safe tran ...

CODE	STHT77498-1
PRICE	€ 39,19







### STANLEY® FATMAX® SLP5 5 SPOT RED BEAM LASER LEVEL

30m Working range Accuracy of +/- 3mm @ 10m Multi-use tool which projects 5 independent spot points Down beam with raised clearance provides line visibility and alignment for wall track layout Durable design with over-molded housing and IP54 wate ...

CODE	FMHT1-77413
PRICE	€ 183,75



### TPVM LASER WALL MOUNT

IN BRIEF Stanley 1-77-172 Supporto da parete per livelle laser rotanti e a linea continua. Struttura robusta. Doppio filetto 5/8" F per applicazioni verticali. DESCRIPTION Height Adjustment Via Fine Screw Thread And Graduation Indicator This W ...

CODE	1-77-172
PRICE	€ 57,00



### TRIPOD FOR MULTILINE AND ROTARY LASER

IN BRIEF Stanley 1-77-131 - Robust aluminum body. Quick locking of the adjustable units. Adjustable from 90 to 173 cm. DESCRIPTION Robust Aluminum Body. Quick Locking Of The Adjustable Units. Adjustable From 90 To 173 Cm

CODE	1-77-131
PRICE	€ 78,75



### X3G MULTILINE LASER - GREEN BEAM

IN BRIEF Stanley FMHT1-77356 - Emits green rays intersected at 360deg. Flow lines : 20 meters/50 m with Receiver. Shockproof rubber casing and rechargeable battery. DESCRIPTION Emits Green Rays Intersected At 360Deg. Flow Lines : 20 Meters / 5 ...

CODE	FMHT1-77356
PRICE	€ 448,88



### X3R FATMAX MULTILINE LASER - RED BEAM

IN BRIEF Stanley FMHT1-77357 - Emits red rays intersected at 360deg. Flow lines : 20 meters/50 m with Receiver. Shockproof rubber casing and rechargeable battery. DESCRIPTION Emits Red Rays Intersected At 360Deg. Flow Lines : 20 Meters / 50 Me ...

CODE	FMHT1-77357
PRICE	€ 360,00





**CROSS 360° LASER KIT + PHOTOGRAPHIC TRIPOD + CARRYING BAG**

Consisting of: laser level STHT77504-1 + tripod 1-77-201 + transport bag. LEVEL FEATURES: - Cross 360™ laser beam RED level - Self-leveling Precision  $\pm 4$  mm at 10 m Capacity 20 m Laser class 2 - Project a 360° horizontal line intersected w ...

CODE	STHT77640-1
PRICE	€ 141,79



**CROSS SHAPED LASER (AVAILABLE RED AND GREEN)**

FEATURES: -Function: projects a cross - Colors: available in the RED laser and GREEN laser variants - Radius width: draw a cross with a width of 150 degrees that allows a wide coverage of the surface in a short time. - Magnetic base: allows direc ...

CODE	FMHT77586-1	FMHT77585-1
PRICE	€ 165,00	€ 131,25



**STANLEY FMHT1-77416 FATMAX® RED BEAM LASER**

Information: New design - Rubber over-molded body Pulse mode allows use with detector Easy & clear touch button IP54 water and dust protection Include glasses, pointer, batteries, recharger, TSATK case Description: Accuracy :  $\pm 3$ mm@10m ...

CODE	FMHT1-77416
PRICE	€ 266,25



**STANLEY FMHT1-77443 FATMAX® GREEN BEAM LASER**

Information: Complete line tracking 360° + 2 angled lines at 120° + 1 plumb line IP54 water and dust protection Include glasses, pointer, batteries, recharger, TSATK case Description: Accuracy :  $\pm 3$ mm@10m Working Range 20M (50M with detecto ...

CODE	FMHT1-77443
PRICE	€ 404,00



**ABS LEVEL WITH 3 BUBBLES**



IN BRIEF Stanley 1-42-474 - I-beam profile Injection moulded ABS bod 3 high visibility tubular vials: level, plumb and 45° DESCRIPTION I-Beam Profile Injection Moulded Abs Body, Lightweight And Shock Resistant 3 High Visibility Tubular ...

CODE	1-42-474	1-42-471	1-42-475	1-42-476
PRICE	€ 6,24	€ 11,70	€ 6,70	€ 8,19

**CIRCULAR SPIRIT LEVEL BUBBLE**



IN BRIEF Stanley 0-42-127 Perforated base for fastening with screws . Also mountable equipment , measures 12x40mm . DESCRIPTION

CODE	0-42-127
PRICE	€ 3,12

**CLASSIC LEVEL**



IN BRIEF Stanley STHT1-43118 - Ergonomics level increased with extra flat profile. central bubble and plumb side bubbles . rubber coated ends . DESCRIPTION Classic Level

CODE	STHT1-43118	STHT1-43102	STHT1-43103	STHT1-43104	STHT1-43105
PRICE	€ 9,75	€ 12,16	€ 14,30	€ 17,16	€ 20,93
CODE	STHT1-43106	STHT1-43107	STHT1-43108	STHT1-43109	
PRICE	€ 25,48	€ 31,53	€ 36,01	€ 39,00	

**CLASSIC MAGNETIC LEVEL**



IN BRIEF Stanley STHT1-43110 - 40cm magnetic level . ergonomic design and extra smooth finishing. With side bubbles . DESCRIPTION

CODE	STHT1-43110	STHT1-43111	STHT1-43112	STHT1-43113	STHT1-43114
PRICE	€ 17,55	€ 21,71	€ 25,48	€ 28,54	€ 31,46
CODE	STHT1-43115	STHT1-43116	STHT1-43117		
PRICE	€ 42,71	€ 44,98	€ 51,74		



### COMPOSITE LEVEL



IN BRIEF Stanley 1-42-460 - "Professional trapezoid level Unbreakable, non-deforming and non-conductive 2 acrylic non-disruptable, reversible vials DESCRIPTION Professional Trapezoid Level Injected Body In Composite Materials - Unbreakable, N ...

CODE	1-42-460	1-42-461	1-42-462
PRICE	€ 25,87	€ 28,54	€ 30,49

### FATMAX I-BEAM SPIRIT LEVEL



IN BRIEF Stanley XTHT1-42131 - Aluminium body and reinforced section . 3 bubbles : 2 vertical and 1 horizontal. grooved and adjusted basis DESCRIPTION

CODE	XTHT1-42131	XTHT1-42134	XTHT1-42138
PRICE	€ 21,71	€ 31,53	€ 44,98

### POST LEVEL



IN BRIEF Stanley 0-47-720 - Tool for the levelling of vertical surfaces . With 4 magnets for use on metal surfaces and 3 bubbles . Resealable . DESCRIPTION

CODE	0-47-720
PRICE	€ 5,46

### FATMAX SPIRIT LEVEL REINFORCED AND MAGNETIC



IN BRIEF Stanley XTHT1-42132 - Aluminium body and reinforced section . 3 bubbles : 2 vertical and 1 horizontal. grooved and adjusted basis DESCRIPTION

CODE	XTHT1-42132	XTHT1-42135	XTHT1-42139	XTHT1-42140
PRICE	€ 29,97	€ 44,85	€ 66,30	€ 60,71

### FATMAX® CLASSIC LEVEL PRO - VARIOUS SIZES



Features: ■ Unique aluminum structure, slim profile for better ergonomics. ■ Smooth ground base (for easy cleaning of the instrument). ■ High visibility antiqued bubbles. ■ Innovative bubble calibration and positioning system for greater resi ...

CODE	FMHT42562-1	FMHT42561-1	FMHT42560-1	FMHT42559-1	FMHT42447-1
PRICE	€ 40,14	€ 36,43	€ 32,73	€ 26,55	€ 21,61

CODE	FMHT42555-1	FMHT42554-1	FMHT42553-1
PRICE	€ 17,91	€ 15,44	€ 14,20

**FATMAX® I BEAM LEVEL**



IN BRIEF Stanley 1-43-553 - Aluminum body removes excess dirt and prolongs life Solid vials Magnified center vial for more user comfort Vials accuracy of 0,5mm/m DESCRIPTION Aluminum Body Removes Excess Dirt And Prolongs Life Solid Vials F ...

CODE	1-43-553	1-43-555	1-43-557
PRICE	€ 15,60	€ 25,87	€ 38,48

**FATMAX® I BEAM MAGNETIC LEVEL**



IN BRIEF Stanley 1-43-554 - Aluminum body removes excess dirt and prolongs life Solid vials Magnified center vial for more user comfort Vials accuracy of 0,5mm/m DESCRIPTION Aluminum Body Removes Excess Dirt And Prolongs Life Solid Vials For ...

CODE	1-43-554	1-43-556	1-43-558
PRICE	€ 17,23	€ 32,50	€ 38,94

**FATMAX® LEVEL**



IN BRIEF Stanley 1-43-524 - 6-9mm wider than other levels in its class Heaviest in its class giving ultimate strength Dual bi-material hand grips DESCRIPTION 6Mm Taller Than Most Competitors 6-9Mm Wider Than Other Levels In Its Class Heave ...

CODE	1-43-524	1-43-536	1-43-548	1-43-572
PRICE	€ 23,47	€ 29,64	€ 36,27	€ 55,90

**FATMAX® LEVEL XL**



IN BRIEF Stanley 0-43-616 - Vials magnified by 20% Dual machined levelling surfaces Bi-material hand grips Rock solid box beam construction DESCRIPTION Vials Magnified By 20% For Improved All Round Visibility Dual Machined Levelling Surfaces ...

CODE	0-43-616	0-43-624	0-43-636	0-43-648	0-43-672
PRICE	€ 21,26	€ 25,22	€ 32,05	€ 38,94	€ 59,93
CODE	0-43-681				
PRICE	€ 60,32				



**FATMAX® MAGNETIC LEVEL**



IN BRIEF Stanley 1-43-525 - 6-9mm wider than other levels in its class Heaviest in its class giving ultimate strength Shock absorbing end caps for long life DESCRIPTION 6Mm Taller Than Most Competitors 6-9Mm Wider Than Other Levels In Its Clas ...

CODE	1-43-525	1-43-537	1-43-549	FMHT1-42502
PRICE	€ 26,33	€ 35,69	€ 40,17	€ 61,04

**FATMAX® MAGNETIC LEVEL XL**



IN BRIEF Stanley 0-43-617 - Vials magnified by 20% Dual machined levelling surfaces Bi-material hand grips Rock solid box beam construction DESCRIPTION Vials Magnified By 20% For Improved All Round Visibility Dual Machined Levelling Surfaces ...

CODE	0-43-617	0-43-625	0-43-637	0-43-649	0-43-679
PRICE	€ 24,44	€ 28,99	€ 38,35	€ 42,77	€ 66,17
CODE	XTHT0-42503				
PRICE	€ 63,83				

**FATMAX® MLH TORPEDO LEVEL**



IN BRIEF Stanley 1-42-311 - Magnified horizontal vial improves accuracy Improved accuracy: 0,05mm/m Rare earth magnets (MALH) for ultimate holding power DESCRIPTION New Shape And Look For Better Ergonomics Provides Maximum Durability - Impro ...

CODE	1-42-311	1-42-312	1-42-313	1-42-314	1-42-315
PRICE	€ 21,84	€ 23,47	€ 26,78	€ 28,99	€ 37,64
CODE	1-42-316				
PRICE	€ 57,85				

**FATMAX® MLH TORPEDO LEVEL**



IN BRIEF Stanley 1-42-421- Magnified horizontal vial improves accuracy Improved accuracy: 0,05mm/m Rare earth magnets (MALH) for ultimate holding power DESCRIPTION New Shape And Look For Better Ergonomics Provides Maximum Durability - Impro ...

CODE	1-42-421	1-42-422	1-42-423
PRICE	€ 39,98	€ 44,01	€ 45,57





**FATMAX® TORPEDO LEVEL**

IN BRIEF Stanley 0-43-603 - Die-cast Aluminum Body Solid block vials Vials accuracy of 0,5mm/m Magnified Center Vial DESCRIPTION Die-Cast Aluminum Body Provides Maximum Durability Solid Block Vials Vials Accuracy Of 0,5Mm/M For Faster And ...

CODE	0-43-603
PRICE	€ 17,81



**FATMAX® XTREME TORPEDO MAGNETIC LEVEL**

IN BRIEF Stanley 0-43-609 - Solid block vials provide best-in-class accuracy 0.5mm/m Magnified centre vial V shaped metal groove for use on pipes DESCRIPTION Solid Block Vials Provide Best-In-Class Accuracy 0.5Mm/M Magnified Centre Vial For ...

CODE	0-43-609
PRICE	€ 19,14



**JM50 GRADIENT LEVEL**

IN BRIEF Stanley 1-42-262 - Highly resistant epoxy paint. An antishock vial machined in the mass, unbreakable and protected against frost. DESCRIPTION Supplied In A Wooden Box Highly Resistant Epoxy Paint An Antishock Vial Machined In The Mass, ...

CODE	1-42-262
PRICE	€ 155,16



**LEVELLING STADIA WITH BUBBLES**

IN BRIEF Stanley 0-42-323 - Horizontal vial glued on ABS plastic support Vertical vial gland on an ABS plastic support Aluminium body" DESCRIPTION Horizontal Vial Glued On Abs Plastic Support Vertical Vial Gland On An Abs Plastic Support Whi ...

CODE	0-42-323
PRICE	€ 41,54



**PRO 180 LEVEL WITH ADJUSTABLE BUBBLE**

IN BRIEF Stanley 1-42-919 Durable I beam girder section aluminium body 3 tubular vials: 1 top, 1 plumb vial and 1 180° rotating angle vial Shock absorbing end caps DESCRIPTION Durable I Beam Girder Section Aluminium Body For Strength & ...

CODE	1-42-919	1-42-920	1-42-921	1-42-922	1-42-923
PRICE	€ 11,08	€ 11,79	€ 13,59	€ 14,95	€ 18,53





**SHOCKPROOF TORPEDO LEVEL**



IN BRIEF Stanley 0-43-511 - Aluminium plate with V-shaped metal groove to check cylindrical surfaces High visibility reversible vials: horizontal, vertical and 45° DESCRIPTION Aluminium Plate With V-Shaped Metal Groove To Check Cylindrical S ...

CODE	0-43-511
PRICE	€ 9,82

**STANLEY POCKET LEVEL**



IN BRIEF Stanley 0-42-130 - Easy-to-read vials Pocket size for easy storage Strong molded plastic case DESCRIPTION Easy-To-Read Vials Pocket Size For Easy Storage Strong Molded Plastic Casing For Durability Rare Magnet Base Product Specific ...

CODE	0-42-130
PRICE	€ 3,84

**TMLH ANTISHOCK LEVEL**



IN BRIEF Stanley 1-42-251 - Precision of +/- 1mm/m Epoxy paint resistant to shocks and bad weather Horizontal adjustable vial equipped with a fluorescent plate DESCRIPTION Precision Of +/- 1Mm/M Epoxy Paint Resistant To Shocks And Bad We ...

CODE	1-42-251	1-42-252	1-42-253	1-42-254
PRICE	€ 35,17	€ 38,48	€ 42,45	€ 57,66

**TORPEDO CONTRACTOR ALUMINUM LEVEL**



IN BRIEF Stanley 0-42-465 - Strong & lightweight aluminium body Magnetic base ideal for steel construction 3 vials: horizontal, plumb and 45° Protected central vial DESCRIPTION Strong & Lightweight Aluminium Body Ideal For Small Ins ...

CODE	0-42-465
PRICE	€ 17,03

**TORPEDO G.P. LEVEL**



IN BRIEF Stanley 1-42-799 - Aluminium T profile trapezoid level Precision of +/- 2mm/m High resistance epoxy paint 2 extremely reliable tubular vials DESCRIPTION T Profile Trapezoid Level Precision Of +/- 2Mm/M High Resistance Epoxy Paint 2 ...

CODE	1-42-799	1-42-802	1-42-804
PRICE	€ 9,69	€ 12,16	€ 15,86





### TORPEDO LEVEL BASIC

IN BRIEF Stanley 0-42-294 - Lightweight injection moulded ABS body for strength 3 tubular vials: 1 level, 1 plumb and a 45° vial 0-42-291 magnetic base DESCRIPTION Lightweight Injection Moulded Abs Body For Strength 3 Tubular Vials: 1 Level ...

CODE	0-42-294
PRICE	€ 5,27



### TORPEDO PRO FATMAX® LEVEL

Stanley levels : Stanley XTHT0-42495 FatMax Pro Box Torpedo Level. Extruded Aluminum Body : For Strength & Light Weight. Magnified Center Block Vial : For Durability & Accuracy (0,5mm/m). Over-Molded Rubber End Caps : For Non-Marri ...

CODE	XTHT0-42495
PRICE	€ 21,45



### WATER LEVELS

IN BRIEF Stanley 0-42-430 - 2 graduated moulded body vials (120 mm) for water level. Free contact with air by opening the stopper completely DESCRIPTION Free Contact With Air By Opening The Stopper Completely 2 Graduated Moulded Body Vials ( ...

CODE	0-42-430
PRICE	€ 10,34

