



**Mister Worker®**  
ตัวแทนจำหน่ายเครื่องมือระดับมืออาชีพของท่าน

# CATALOG

DECEMBER 2018



**AUTOMATIC HOSE REELS FIXED-SWIVELLING**



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 300**

Equipped with: - Polyurethane blue hose 11+1,5 m -  $\varnothing$  8x12 Inlet-outlet F1/4"G - M1/4"G swiv.  
- Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4301-211
PRICE	€ 221,05



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITH HOSE 10 M Ø 1/2"**

Equipped with: - Syntetic black rubber hose R6 10 m -  $\varnothing$  1/2" Inlet-outlet M1/2"G - M1/2"G -  
Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-410
PRICE	€ 382,51



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntetic black rubber hose R6 10 m -  $\varnothing$  3/8" Inlet-outlet F3/8"G - M3/8"G -  
Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-310
PRICE	€ 362,69



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITH HOSE 12 M Ø 5/16"**

Equipped with: - Syntetic black rubber hose R6 12 m -  $\varnothing$  5/16" Inlet-outlet F3/8"G - M1/4"G -  
Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-212
PRICE	€ 367,38





**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITH HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 15 m -  $\phi$  1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-415
PRICE	€ 414,59



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITH HOSE 18 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 18 m -  $\phi$  1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-418
PRICE	€ 434,39



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 18 m -  $\phi$  3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-318
PRICE	€ 404,23



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITH HOSE 18 M Ø 5/16"**

Equipped with: - Syntethic black rubber hose R6 18 m -  $\phi$  5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-218
PRICE	€ 393,86





**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITHOUT HOSE INLET OUTLET F3/8\"G M3/8\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8\"G - M3/8\"G OVERALL DIMENSIONS

CODE	074-4502-300
PRICE	€ 276,70



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500  
WITHOUT HOSE INLET OUTLET M1/2\"G M1/2\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2\"G - M1/2\"G OVERALL DIMENSIONS

CODE	074-4502-400
PRICE	€ 279,54



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN  
20 BAR MOD. CF 500 WITH HOSE 10 M Ø 1/2\"**

Equipped with: - Antistatic black rubber hose EPDM 10 m - ø 1/2\" Inlet-outlet M1/2\"G - M1/2\"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	074-4509-410
PRICE	€ 555,32



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN  
20 BAR MOD. CF 500 WITH HOSE 15 M Ø 1/2\"**

Equipped with: - Antistatic black rubber hose EPDM 15 m - ø 1/2\" Inlet-outlet M1/2\"G - M1/2\"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	074-4509-415
PRICE	€ 595,95





**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN  
20 BAR MOD. CF 500 WITHOUT HOSE**

Equipped with: - Stainless steel swivelling joint 90° AISI 316 - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-4509-400
PRICE	€ 322,08



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500  
WITH HOSE 10 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - Ø 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	074-4507-110
PRICE	€ 381,58



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500  
WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - Ø 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	074-4507-310
PRICE	€ 410,83



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500  
WITH HOSE 15 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 15 m - Ø 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	074-4507-115
PRICE	€ 414,59





**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500  
WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose 2SC 15 m -  $\varnothing$  3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-315
PRICE	€ 461,81



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500  
WITH HOSE 18 M Ø 1/4"**

Equipped with: - Synthetic black rubber hose 2SC 18 m -  $\varnothing$  1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-118
PRICE	€ 436,32



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500  
WITHOUT HOSE INLET OUTLET M1/4"G M1/4"G**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/4"G - M1/4"G OVERALL DIMENSIONS

CODE	074-4507-200
PRICE	€ 289,99



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500  
WITHOUT HOSE INLET OUTLET M3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-4507-300
PRICE	€ 290,91





**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH  
HOSE 10 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose 1SC 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-410
PRICE	€ 387,18



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH  
HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose 1SC 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-415
PRICE	€ 435,41



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH  
HOSE 18 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose 1SC 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-418
PRICE	€ 453,28



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500  
WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-4506-400
PRICE	€ 279,54







**CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-310
PRICE	€ 416,52



**CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 10 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-210
PRICE	€ 409,92



**CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-315
PRICE	€ 458,96



**CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-215
PRICE	€ 449,52







**CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4504-318
PRICE	€ 484,45



**CLOSED HOSE REEL FIXED FOR WATER 150° C 200/400 BAR MOD. CF 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-4505-300
PRICE	€ 314,47



**CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4505-310
PRICE	€ 421,40



**CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-4505-315
PRICE	€ 515,62





**CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	074-4505-318
PRICE	€ 551,56



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 300**

Equipped with: - Polyurethane blue hose 11+1,5 m - ø 8x12 Inlet-outlet F1/4"G - M1/4"G swiv. - Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4301-211
PRICE	€ 231,41



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4502-410
PRICE	€ 396,62



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD. CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose R6 10 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4502-310
PRICE	€ 376,82





**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.  
CS 500 WITH HOSE 12 M Ø 5/16"**

Equipped with: - Syntethic black rubber hose R6 12 m - ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-212
PRICE	€ 382,51



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.  
CS 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-415
PRICE	€ 428,81



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.  
CS 500 WITH HOSE 18 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-418
PRICE	€ 448,61



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.  
CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 18 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-318
PRICE	€ 419,36





**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.  
CS 500 WITH HOSE 18 M Ø 5/16"**

Equipped with: - Syntethic black rubber hose R6 18 m - ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-218
PRICE	€ 408,91



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.  
CS 500 WITHOUT HOSE INLET OUTLET F3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-4502-300
PRICE	€ 291,82



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.  
CS 500 WITHOUT HOSE INLET OUTLET M1/2"G M1/2"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	075-4502-400
PRICE	€ 294,67



**CLOSED HOSE REEL SWIVELLING FOR ANTIFREEZE AND  
WINDSCREEN 20 BAR MOD. CS 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Antistatic black rubber hose EPDM 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4509-410
PRICE	€ 569,45





**CLOSED HOSE REEL SWIVELLING FOR ANTIFREEZE AND  
WINDSCREEN 20 BAR MOD. CS 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Antistatic black rubber hose EPDM 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G  
- Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4509-415
PRICE	€ 611,06



**CLOSED HOSE REEL SWIVELLING FOR ANTIFREZZE AND  
WINDSCREEN 20 BAR MOD. CS 500 WITHOUT HOSE**

Equipped with: - Stainless steel swivelling joint 90° AISI 316 - Viton seals Inlet-outlet M1/2"G -  
M1/2"G OVERALL DIMENSIONS

CODE	075-4509-400
PRICE	€ 337,21



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS  
500 WITH HOSE 10 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 1/4" Inlet-outlet M1/4"G - M1/4"G -  
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL  
DIMENSIONS ...

CODE	075-4507-110
PRICE	€ 395,71



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS  
500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - M3/8"G -  
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL  
DIMENSIONS ...

CODE	075-4507-310
PRICE	€ 424,95





**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS  
500 WITH HOSE 15 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 15 m -  $\phi$  1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-115
PRICE	€ 428,81



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS  
500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 15 m -  $\phi$  3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-315
PRICE	€ 476,02



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS  
500 WITH HOSE 18 M Ø 1/4"**

Equipped with: - Syntethic black rubber hose 2SC 18 m -  $\phi$  1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-118
PRICE	€ 450,53



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS  
500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-4507-300
PRICE	€ 305,02





**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS 500 WITHOUT HOSE INLET OUTLET M1/4\"G M1/4\"G**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/4\"G - M1/4\"G OVERALL DIMENSIONS

CODE	075-4507-200
PRICE	€ 304,11



**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500 WITH HOSE 10 M Ø 1/2\"**

Equipped with: - Syntethic black rubber hose 1SC 10 m - ø 1/2\" Inlet-outlet M1/2\"G - M1/2\"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	075-4506-410
PRICE	€ 401,39



**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500 WITH HOSE 15 M Ø 1/2\"**

Equipped with: - Syntethic black rubber hose 1SC 15 m - ø 1/2\" Inlet-outlet M1/2\"G - M1/2\"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	075-4506-415
PRICE	€ 449,52



**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500 WITH HOSE 18 M Ø 1/2\"**

Equipped with: - Syntethic black rubber hose 1SC 18 m - ø 1/2\" Inlet-outlet M1/2\"G - M1/2\"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	075-4506-418
PRICE	€ 430,94







**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500  
WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/2"G -  
M1/2"G OVERALL DIMENSIONS

CODE	075-4506-400
PRICE	€ 294,67



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR  
MOD. CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 3/8" Inlet-outlet M3/8"G -  
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4504-310
PRICE	€ 431,65



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR  
MOD. CS 500 WITH HOSE 10 M Ø 5/16"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 5/16" Inlet-outlet M3/8"G -  
M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4504-210
PRICE	€ 424,04



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR  
MOD. CS 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 15C 15 m - ø 3/8" Inlet-outlet M3/8"G -  
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4504-315
PRICE	€ 473,18





**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR  
MOD. CS 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G -  
M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4504-215
PRICE	€ 464,65



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR  
MOD. CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 18 m - ø 3/8" Inlet-outlet M3/8"G -  
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4504-318
PRICE	€ 498,66



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200/400  
BAR MOD. CS 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G -  
M3/8"G OVERALL DIMENSIONS

CODE	075-4505-300
PRICE	€ 328,68



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR  
MOD. CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G -  
F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	075-4505-310
PRICE	€ 472,16





**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR  
 MOD. CS 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntetic rubber hose no trace blue 2SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
 OVERALL DIMENSIONS ...

CODE	075-4505-315
PRICE	€ 488,29



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR  
 MOD. CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntetic rubber hose no trace blue 2SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
 OVERALL DIMENSIONS ...

CODE	075-4505-318
PRICE	€ 566,60



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR  
 WATER 20 BAR MOD. CFX 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Syntetic black rubber hose R6 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals  
 OVERALL DIMENSIONS ...

CODE	074-5502-410
PRICE	€ 605,39



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR  
 WATER 20 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntetic black rubber hose R6 10 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals  
 OVERALL DIMENSIONS ...

CODE	074-5502-310
PRICE	€ 585,49





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR  
WATER 20 BAR MOD. CFX 500 WITH HOSE 12 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 12 m -  $\phi$  5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-212
PRICE	€ 590,26



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR  
WATER 20 BAR MOD. CFX 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 15 m -  $\phi$  1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-415
PRICE	€ 637,47



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR  
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 18 m -  $\phi$  1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-418
PRICE	€ 657,28



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR  
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose R6 18 m -  $\phi$  3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-318
PRICE	€ 628,03





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 18 m - ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-218
PRICE	€ 616,66



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR WATER 20 BAR MOD. CFX 500 WITHOUT HOSE INLET OUTLET F3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8"G - M3/8"G OVERALL DIMENSIONS

DIMENSIONS

CODE	074-5502-300
PRICE	€ 499,58



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR WATER 20 BAR MOD. CFX 500 WITHOUT HOSE INLET OUTLET M1/2"G M1/2"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

DIMENSIONS

CODE	074-5502-400
PRICE	€ 502,42



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE**

Equipped with: - Synthetic rubber hose no trace blue 15C 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-318
PRICE	€ 710,17





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-310
PRICE	€ 642,15



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 10 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-210
PRICE	€ 635,55



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-315
PRICE	€ 684,69



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-215
PRICE	€ 676,16







**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR  
WATER 150°C 200/400 BAR MOD. CFX 500 WITHOUT HOSE  
INLET OUTLET M3/8\"G M3/8\"G**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8\"G -  
M3/8\"G OVERALL DIMENSIONS

CODE	074-5505-300
PRICE	€ 540,19



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR  
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8\"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 10 m - Ø 3/8" Inlet-outlet M3/8\"G -  
F3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	074-5505-310
PRICE	€ 683,77



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR  
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 15 M Ø 3/8\"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 15 m - Ø 3/8" Inlet-outlet M3/8\"G -  
F3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	074-5505-315
PRICE	€ 682,04



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR  
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 18 M Ø 3/8\"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 18 m - Ø 3/8" Inlet-outlet M3/8\"G -  
F3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals  
OVERALL DIMENSIONS ...

CODE	074-5505-318
PRICE	€ 778,20







**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE**

Equipped with: - Synthetic black rubber hose R6 18 m -  $\varnothing$  1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-418
PRICE	€ 683,77



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 10 M  $\varnothing$  1/2"**

Equipped with: - Synthetic black rubber hose R6 10 m -  $\varnothing$  1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-410
PRICE	€ 631,79



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 10 M  $\varnothing$  3/8"**

Equipped with: - Synthetic black rubber hose R6 10 m -  $\varnothing$  3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-310
PRICE	€ 611,99



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 12 M  $\varnothing$  5/16"**

Equipped with: - Synthetic black rubber hose R6 12 m -  $\varnothing$  5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-212
PRICE	€ 616,66





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 15 m -  $\phi$  1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-415
PRICE	€ 663,87



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose R6 18 m -  $\phi$  3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-318
PRICE	€ 654,43



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 18 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 18 m -  $\phi$  5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-218
PRICE	€ 643,16



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
AIR WATER 20 BAR MOD. CSX 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	075-5502-400
PRICE	€ 529,83





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR AIR WATER 20 BAR MOD. CSX 500 WITHOUT HOSE INLET OUTLET F3/8\"G M3/8\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8\"G - M3/8\"G OVERALL DIMENSIONS

CODE	075-5502-300
PRICE	€ 526,08



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE**

Equipped with: - Syntethic rubber hose no trace blue 15C 18 m - ø 3/8" Inlet-outlet M3/8\"G - F3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals OVERALL DIMENSIONS ...

CODE	075-5504-318
PRICE	€ 736,59



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 10 M Ø 3/8\"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 3/8" Inlet-outlet M3/8\"G - F3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals OVERALL DIMENSIONS ...

CODE	075-5504-310
PRICE	€ 668,65



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 10 M Ø 5/16\"**

Equipped with: - Syntethic rubber hose no trace blue 15C 10 m - ø 5/16" Inlet-outlet M3/8\"G - M3/8\"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals OVERALL DIMENSIONS ...

CODE	075-5504-210
PRICE	€ 609,08



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5504-315
PRICE	€ 711,09



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - Ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5504-215
PRICE	€ 702,66



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
WATER 150°C 200/400 BAR MOD. CSX 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-5505-300
PRICE	€ 566,60



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 10 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-310
PRICE	€ 710,17





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 15 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-315
PRICE	€ 767,76



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR  
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 18 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-318
PRICE	€ 804,61

