



Mister Worker®
ตัวแทนจำหน่ายเครื่องมือระดับมืออาชีพของท่าน

CATALOG

SEPTEMBER 2018



AUTOMATIC HOSE REELS FIXED-SWIVELLING



CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 300

Equipped with: - Polyurethane blue hose 11+1,5 m - \varnothing 8x12 Inlet-outlet F1/4"G - M1/4"G swiv.
- Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
DIMENSIONS ...

CODE	074-4301-211
PRICE	€ 221,05



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 300**

Equipped with: - Polyurethane blue hose 11+1,5 m - \varnothing 8x12 Inlet-outlet F1/4"G - M1/4"G swiv.
- Nickel-plated brass connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
DIMENSIONS ...

CODE	075-4301-211
PRICE	€ 231,41



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET F3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8"G -
M3/8"G OVERALL DIMENSIONS

CODE	074-4502-300
PRICE	€ 276,70



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET M1/2"G M1/2"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G -
M1/2"G OVERALL DIMENSIONS

CODE	074-4502-400
PRICE	€ 279,54





**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITH HOSE 12 M Ø 5/16"**

Equipped with: - Syntethic black rubber hose R6 12 m - ϕ 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-212
PRICE	€ 367,38



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITH HOSE 18 M Ø 5/16"**

Equipped with: - Syntethic black rubber hose R6 18 m - ϕ 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-218
PRICE	€ 393,86



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 10 m - ϕ 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-310
PRICE	€ 362,69



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 18 m - ϕ 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-318
PRICE	€ 404,23





**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITH HOSE 10 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-410
PRICE	€ 382,51



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITH HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-415
PRICE	€ 414,59



**CLOSED HOSE REEL FIXED FOR AIR WATER 20 BAR MOD. CF 500
WITH HOSE 18 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-4502-418
PRICE	€ 434,39



**CLOSED HOSE REEL FIXED FOR WATER 150° C 200/400 BAR
MOD. CF 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-4505-300
PRICE	€ 314,47





CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 10 M Ø 5/16"

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4504-210
PRICE	€ 409,92



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 15 M Ø 5/16"

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4504-215
PRICE	€ 449,52



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4504-310
PRICE	€ 416,52



CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4504-315
PRICE	€ 458,96





CLOSED HOSE REEL FIXED FOR WATER 150° C 200 BAR MOD. CF 500 WITH HOSE 18 M Ø 3/8"

Equipped with: - Syntethic rubber hose no trace blue 15C 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4504-318
PRICE	€ 484,45



CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Syntethic rubber hose no trace blue 25C 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4505-310
PRICE	€ 421,40



CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Syntethic rubber hose no trace blue 25C 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4505-315
PRICE	€ 515,62



CLOSED HOSE REEL FIXED FOR WATER 150° C 400 BAR MOD. CF 500 WITH HOSE 18 M Ø 3/8"

Equipped with: - Syntethic rubber hose no trace blue 25C 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-4505-318
PRICE	€ 551,56





**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITHOUT HOSE INLET OUTLET F3/8\"G M3/8\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8\"G - M3/8\"G OVERALL DIMENSIONS

CODE	075-4502-300
PRICE	€ 291,82



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITHOUT HOSE INLET OUTLET M1/2\"G M1/2\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2\"G - M1/2\"G OVERALL DIMENSIONS

CODE	075-4502-400
PRICE	€ 294,67



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 12 M Ø 5/16\"**

Equipped with: - Syntethic black rubber hose R6 12 m - Ø 5/16\" Inlet-outlet F3/8\"G - M1/4\"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL DIMENSIONS ...

CODE	075-4502-212
PRICE	€ 382,51



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 18 M Ø 5/16\"**

Equipped with: - Syntethic black rubber hose R6 18 m - Ø 5/16\" Inlet-outlet F3/8\"G - M1/4\"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL DIMENSIONS ...

CODE	075-4502-218
PRICE	€ 408,91





**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 10 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-310
PRICE	€ 376,82



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 18 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-318
PRICE	€ 419,36



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-410
PRICE	€ 396,62



**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-415
PRICE	€ 428,81





**CLOSED HOSE REEL SWIVELLING FOR AIR WATER 20 BAR MOD.
CS 500 WITH HOSE 18 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-4502-418
PRICE	€ 448,61



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200/400
BAR MOD. CS 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-4505-300
PRICE	€ 328,68



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 10 M Ø 5/16"**

Equipped with: - Syntethic rubber hose no trace blue 1SC 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4504-210
PRICE	€ 424,04



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Syntethic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4504-215
PRICE	€ 464,65





**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 1SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4504-310
PRICE	€ 431,65



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4504-315
PRICE	€ 473,18



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 200 BAR
MOD. CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 1SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4504-318
PRICE	€ 498,66



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR
MOD. CS 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-4505-310
PRICE	€ 472,16





**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR
 MOD. CS 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 OVERALL DIMENSIONS ...

CODE	075-4505-315
PRICE	€ 488,29



**CLOSED HOSE REEL SWIVELLING FOR WATER 150° C 400 BAR
 MOD. CS 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic rubber hose no trace blue 2SC 18 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
 OVERALL DIMENSIONS ...

CODE	075-4505-318
PRICE	€ 566,60



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500
 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-4506-400
PRICE	€ 279,54



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH
 HOSE 10 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose 1SC 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL DIMENSIONS ...

CODE	074-4506-410
PRICE	€ 387,18





**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH
HOSE 15 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose 15C 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-415
PRICE	€ 435,41



**CLOSED HOSE REEL FIXED FOR OIL 160 BAR MOD. CF 500 WITH
HOSE 18 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose 15C 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4506-418
PRICE	€ 453,28



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET M1/4"G M1/4"G**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/4"G - M1/4"G OVERALL DIMENSIONS

CODE	074-4507-200
PRICE	€ 289,99



**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITHOUT HOSE INLET OUTLET M3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-4507-300
PRICE	€ 290,91





CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 10 M Ø 1/4"

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-110
PRICE	€ 381,58



CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 15 M Ø 1/4"

Equipped with: - Syntethic black rubber hose 2SC 15 m - ø 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-115
PRICE	€ 414,59



CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 18 M Ø 1/4"

Equipped with: - Syntethic black rubber hose 2SC 18 m - ø 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-118
PRICE	€ 436,32



CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 10 M Ø 3/8"

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-310
PRICE	€ 410,83





**CLOSED HOSE REEL FIXED FOR GREASE 600 BAR MOD. CF 500
WITH HOSE 15 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose 2SC 15 m - ϕ 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	074-4507-315
PRICE	€ 461,81



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN
20 BAR MOD. CF 500 WITHOUT HOSE**

Equipped with: - Stainless steel swivelling joint 90° AISI 316 - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-4509-400
PRICE	€ 322,08



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN
20 BAR MOD. CF 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Antistatic black rubber hose EPDM 10 m - ϕ 1/2" Inlet-outlet M1/2"G - M1/2"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	074-4509-410
PRICE	€ 555,32



**CLOSED HOSE REEL FIXED FOR ANTIFREEZE AND WINDSCREEN
20 BAR MOD. CF 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Antistatic black rubber hose EPDM 15 m - ϕ 1/2" Inlet-outlet M1/2"G - M1/2"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	074-4509-415
PRICE	€ 595,95





**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500
WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/2"G -
M1/2"G OVERALL DIMENSIONS

CODE	075-4506-400
PRICE	€ 294,67



**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500
WITH HOSE 10 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose 1SC 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G -
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL
DIMENSIONS ...

CODE	075-4506-410
PRICE	€ 401,39



**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500
WITH HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose 1SC 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G -
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL
DIMENSIONS ...

CODE	075-4506-415
PRICE	€ 449,52



**CLOSED HOSE REEL SWIVELLING FOR OIL 160 BAR MOD. CS 500
WITH HOSE 18 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose 1SC 18 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G -
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL
DIMENSIONS ...

CODE	075-4506-418
PRICE	€ 430,94





**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITHOUT HOSE INLET OUTLET M1/4\"G M1/4\"G**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M1/4\"G -
M1/4\"G OVERALL DIMENSIONS

CODE	075-4507-200
PRICE	€ 304,11



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° galvanized - Polyurethane seals Inlet-outlet M3/8\"G -
M3/8\"G OVERALL DIMENSIONS

CODE	075-4507-300
PRICE	€ 305,02



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITH HOSE 10 M Ø 1/4\"**

Equipped with: - Syntethic black rubber hose 2SC 10 m - ø 1/4\" Inlet-outlet M1/4\"G - M1/4\"G -
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL
DIMENSIONS ...

CODE	075-4507-110
PRICE	€ 395,71



**CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS
500 WITH HOSE 15 M Ø 1/4\"**

Equipped with: - Syntethic black rubber hose 2SC 15 m - ø 1/4\" Inlet-outlet M1/4\"G - M1/4\"G -
Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL
DIMENSIONS ...

CODE	075-4507-115
PRICE	€ 428,81





CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS 500 WITH HOSE 18 M Ø 1/4"

Equipped with: - Syntethic black rubber hose 2SC 18 m - ϕ 1/4" Inlet-outlet M1/4"G - M1/4"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-118
PRICE	€ 450,53



CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Syntethic black rubber hose 2SC 10 m - ϕ 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-310
PRICE	€ 424,95



CLOSED HOSE REEL SWIVELLING FOR GREASE 600 BAR MOD. CS 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Syntethic black rubber hose 2SC 15 m - ϕ 3/8" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° galvanized - Polyurethane seals OVERALL

DIMENSIONS ...

CODE	075-4507-315
PRICE	€ 476,02



CLOSED HOSE REEL SWIVELLING FOR ANTIFREZZE AND WINDSCREEN 20 BAR MOD. CS 500 WITHOUT HOSE

Equipped with: - Stainless steel swivelling joint 90° AISI 316 - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	075-4509-400
PRICE	€ 337,21





CLOSED HOSE REEL SWIVELLING FOR ANTIFREEZE AND WINDSCREEN 20 BAR MOD. CS 500 WITH HOSE 10 M Ø 1/2"

Equipped with: - Antistatic black rubber hose EPDM 10 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	075-4509-410
PRICE	€ 569,45



CLOSED HOSE REEL SWIVELLING FOR ANTIFREEZE AND WINDSCREEN 20 BAR MOD. CS 500 WITH HOSE 15 M Ø 1/2"

Equipped with: - Antistatic black rubber hose EPDM 15 m - ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Stainless steel connection AISI 316 - Stainless steel swivelling joint 90° AISI 316 - Viton seals OVERALL DIMENSIONS ...

CODE	075-4509-415
PRICE	€ 611,06



STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR WATER 20 BAR MOD. CFX 500 WITHOUT HOSE INLET OUTLET F3/8"G M3/8"G

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-5502-300
PRICE	€ 499,58



STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR WATER 20 BAR MOD. CFX 500 WITHOUT HOSE INLET OUTLET M1/2"G M1/2"G

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2"G - M1/2"G OVERALL DIMENSIONS

CODE	074-5502-400
PRICE	€ 502,42





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 12 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 12 m - ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-212
PRICE	€ 590,26



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 5/16"**

Equipped with: - Synthetic black rubber hose R6 18 m - ø 5/16" Inlet-outlet F3/8"G - M1/4"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-218
PRICE	€ 616,66



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose R6 10 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-310
PRICE	€ 585,49



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic black rubber hose R6 18 m - ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-318
PRICE	€ 628,03





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 10 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-410
PRICE	€ 605,39



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 15 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-415
PRICE	€ 637,47



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR AIR
WATER 20 BAR MOD. CFX 500 WITH HOSE 18 M Ø 1/2"**

Equipped with: - Synthetic black rubber hose R6 18 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	074-5502-418
PRICE	€ 657,28



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200/400 BAR MOD. CFX 500 WITHOUT HOSE
INLET OUTLET M3/8"G M3/8"G**

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	074-5505-300
PRICE	€ 540,19





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 10 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-210
PRICE	€ 635,55



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 15 M Ø 5/16"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-215
PRICE	€ 676,16



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-310
PRICE	€ 642,15



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	074-5504-315
PRICE	€ 684,69





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 200 BAR MOD. CFX 500 WITH HOSE**

Equipped with: - Synthetic rubber hose no trace blue 15C 18 m - \varnothing 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5504-318
PRICE	€ 710,17



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 10 M \varnothing 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 25C 10 m - \varnothing 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5505-310
PRICE	€ 683,77



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 15 M \varnothing 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 25C 15 m - \varnothing 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5505-315
PRICE	€ 682,04



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 FIXED FOR
WATER 150°C 400 BAR MOD. CFX 500 WITH HOSE 18 M \varnothing 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 25C 18 m - \varnothing 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals
OVERALL DIMENSIONS ...

CODE	074-5505-318
PRICE	€ 778,20





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITHOUT HOSE INLET
OUTLET F3/8\"G M3/8\"G**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet F3/8\"G -
M3/8\"G OVERALL DIMENSIONS

CODE	075-5502-300
PRICE	€ 526,08



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITHOUT HOSE**

Equipped with: - Swivelling joint 90° nickel-plated brass - Viton seals Inlet-outlet M1/2\"G -
M1/2\"G OVERALL DIMENSIONS

CODE	075-5502-400
PRICE	€ 529,83



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 12 M Ø 5/16\"**

Equipped with: - Syntetic black rubber hose R6 12 m - Ø 5/16\" Inlet-outlet F3/8\"G - M1/4\"G -
Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
DIMENSIONS ...

CODE	075-5502-212
PRICE	€ 616,66



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 18 M Ø 5/16\"**

Equipped with: - Syntetic black rubber hose R6 18 m - Ø 5/16\" Inlet-outlet F3/8\"G - M1/4\"G -
Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL
DIMENSIONS ...

CODE	075-5502-218
PRICE	€ 643,16





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 10 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 10 m - Ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-310
PRICE	€ 611,99



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Syntethic black rubber hose R6 18 m - Ø 3/8" Inlet-outlet F3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-318
PRICE	€ 654,43



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 10 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 10 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-410
PRICE	€ 631,79



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
AIR WATER 20 BAR MOD. CSX 500 WITH HOSE 15 M Ø 1/2"**

Equipped with: - Syntethic black rubber hose R6 15 m - Ø 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-415
PRICE	€ 663,87





STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR AIR WATER 20 BAR MOD. CSX 500 WITH HOSE

Equipped with: - Synthetic black rubber hose R6 18 m - ϕ 1/2" Inlet-outlet M1/2"G - M1/2"G - Galvanized connection - Swivelling joint 90° nickel-plated brass - Viton seals OVERALL

DIMENSIONS ...

CODE	075-5502-418
PRICE	€ 683,77



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200/400 BAR MOD. CSX 500 WITHOUT HOSE

Equipped with: - Swivelling joint 90° stainless steel AISI 304 - Viton seals Inlet-outlet M3/8"G - M3/8"G OVERALL DIMENSIONS

CODE	075-5505-300
PRICE	€ 566,60



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 10 M ϕ 5/16"

Equipped with: - Synthetic rubber hose no trace blue 15C 10 m - ϕ 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals OVERALL DIMENSIONS ...

CODE	075-5504-210
PRICE	€ 609,08



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 15 M ϕ 5/16"

Equipped with: - Synthetic rubber hose no trace blue 15C 15 m - ϕ 5/16" Inlet-outlet M3/8"G - M3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals OVERALL DIMENSIONS ...

CODE	075-5504-215
PRICE	€ 702,66



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 1SC 10 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5504-310
PRICE	€ 668,65



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE 15 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 1SC 15 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5504-315
PRICE	€ 711,09



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 200 BAR MOD. CSX 500 WITH HOSE

Equipped with: - Synthetic rubber hose no trace blue 1SC 18 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5504-318
PRICE	€ 736,59



STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 10 M Ø 3/8"

Equipped with: - Synthetic rubber hose no trace blue 2SC 10 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-310
PRICE	€ 710,17





**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 15 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 15 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-315
PRICE	€ 767,76



**STAINLESS STEEL CLOSED HOSE REEL AISI 304 SWIVELLING FOR
WATER 150°C 400 BAR MOD. CSX 500 WITH HOSE 18 M Ø 3/8"**

Equipped with: - Synthetic rubber hose no trace blue 2SC 18 m - Ø 3/8" Inlet-outlet M3/8"G - F3/8"G - Galvanized connection - Swivelling joint 90° stainless steel AISI 304 - Viton seals

OVERALL DIMENSIONS ...

CODE	075-5505-318
PRICE	€ 804,61

